Fluorescent Phosphonium Salts as Medical Imaging Agents in Cells

An investigation into the synthesis of fluorescent bodipy phosphonium salts to be used as medical imaging agents <u>Carissa Lloyd</u> and Dr Lee J. Higham* C.Lloyd5@ncl.ac.uk within cells to identify mitochondrial dysfunction associated with cancer, Alzheimer's & Parkinson's disease School of Chemistry

Why bodipy phosphonium salts? They are fluorescent and highly selective for mitochondria

Bodipy phosphonium salts typically exhibit **fluorescent** properties due to the fact that they absorb and emit photons i.e. particles of energy. The energy of the photons emitted is in the visible region, allowing these compounds to be used as fluorescent probes i.e. medical imaging agents within cells. These probes can be taken up by cells and observed using a technique called fluorescence microscopy.





Fig 1. The bodipy fluorophore which allows the probe to be fluorescent. Fig 2. A diagram illustrating how the energy of the photon absorbed by the probe is greater than that of the photon emitted, resulting in fluorescence. Fig 3. These fluorescent properties allow imaging within cells through fluorescence microscopy, as shown for an endothelial cell.

Synthesising the primary phosphine – a precursor to phosphonium salts




Synthesising phosphonium salts – Medical Imaging Agents to identify mitochondrial dysfunction




Fig.10 A Schlenk line provides an inert atmosphere.

All reactions were carried out under an inert nitrogen gas atmosphere using a Schlenk line to prevent unwanted oxidation of the product. The primary phosphine was found to be air-stable in the solid state and in chloroform. It could also be functionalised to give phosphonium salts to be used as probes.



The phosphonium cation, which has a positive charge, is attracted to the negatively charged outer membranes of the mitochondria which are present in cells, allowing the probe to pass through. This enables the probe to be highly selective for the mitochondria, preventing it from interacting undesirably with other targets. Dysfunctional mitochondria are associated with diseases such as Parkinson's, Alzheimer's and cancer, which result in a change in Fig 4. Mitochondria within a cell shown under the mitochondrial membrane potential. This affects the ability of electron microscopy. Fig 5¹. Structural features the probe to pass through the membrane, resulting in less in a mitochondrion. The outer membrane is accumulation of the probe in the cell. Thus the probe's ability to negatively charged allowing the positively enter the cell can indicate the presence of these diseases. charged probe to pass through it.

Fig 11. The salts in solution. Fig 12. Crystal structure of the bromo-fluorobutane probe determined by X-ray crystallography.




. Structure of mitochondria, available at <u>http://biology.tutorvista.com/animal-and-plant-cells/mitochondria.html</u> . J.G Felber, Synthesis of fluorescent-labelled Rhodium and Iridium complexes with application in medicinal diagnostics and catalysis, 2017, Master Report, Newcastle University

3. Dr Lee J. Higham, LJH Research Group, available at http://leejohnhighamresearch.co.uk/








A cheaper alternative – Because Kryptopyrrole is an expensive starting material, Step 1 was also attempted using pyrrole as a more cost effective option. The bodipy product exhibited less fluorescence when pyrrole was used and had a lower fluorescence quantum yield i.e. the ratio of the number of photons emitted compared to the number absorbed was lower.

Fig 9. Emission spectrum showing how the fluorescence intensity of the bodipy product is greater when kryptopyrrole is used as a starting material [red] as opposed to pyrrole



These salts will be sent to Wang lab at the University of California in San Diego to be tested as probes for use in cells [Left]³ for medical imaging as a non-invasive technique for identifying mitochondrial dysfunction.

References & Acknowledgements