




# Aims:

- To optimise a nanomaterial-based vaccine delivery system into fish against Tenacibaculosis
- To address the efficacy and efficiency of vaccine delivery system using different nano-carriers
- To prepare for the immune response assessment in cells and fish (in vivo) after vaccine delivery

### Introduction:

Tenacibaculosis is a threatening bacterial infection caused by Tenacibaculum maritimum, which affects a significant number of marine fish in recent years. They are associated with macroscopic skin lesion, eroded mouth, necrosis, septicaemia and ulcerative condition in particular. To build up the immune response against this pathogen, bacterial outer membrane protein is used as vaccine component and this research will focus on how to modify and deliver the vaccine into model fish, Seabass. Halloysite, nano-clay is selected to be an optimal carrier system due to its large surface area, tubular shape and good biocompatibility. Halloysite (Clay)



## **Methods:**

- Characterisation of Materials:
- Fourier Transform Infrared Spectroscopy (FTIR), Zetasizer, Field Emission Scanning Electron Microscope (FESEM)
- 2. In Vitro Experiments:
- Measure the sustained delivery kinetic of Bovine Serum Albumin (BSA- standard protein) at pH 5 and pH 7
- Green Fluorescence Protein (GFP) nanoparticle delivery and Resazurin Test
- 3. In Vivo Preparation:
- Fish Immersion into vaccine solution





Figure 1:

80

75

70


65



Figure 3: FESEM: Clay has an average diameter of 57.6cm whereas 64.1cm in clay APTES. Clay chitosan has the greatest average diameter of 126.3cm.


# A Novel Drug Delivery System into Fish? In Vitro and In Vivo Evaluation of Fish Vaccine Nano-Carriers Dr. Saji George (supervisor), Fayth Lim Yu En, Nur Anisah Binte Abdul Muthalib, Centre for Sustainable Nanotechnology, Nanyang Polytechnic of Singapore.

\*Winnie Hii Siew Sze (110561725) BSc Biomedical Sciences, Newcastle University.



FTIR: As compared to clay, clay APTES and clay chitosan have more distinct peaks at around 2850- 3000cm<sup>-1</sup> (C-H bond) and 1600cm<sup>-1</sup> (N-H bond) with two sharp bands. Besides, clay also has strong, broad peaks at approximately 3400 cm<sup>-1</sup> with the contribution of O-H bond.

However, there are some unnecessary peaks present in the graph due to KBr pellet contamination









Figure 4: GFP Delivery: Clay chitosan has more green fluorescence than clay itself. This shows that clay chitosan exhibits better efficiency in delivering drug into cells than **clay**.









References:

If you are interested, please contact me at <u>s.s.winnie-hii@newcastle.ac.uk</u> for further details. Thank you.

It is possibly a better drug delivery system due to its good biocompatibility, no toxicity, yet higher, sustained and controlled release of drug (efficiency and efficacy shown) Future works include assessment of immune response and fish cells using RT- PCR (mainly *in vivo* part)

• Bermudez R., Failde L.D., Losada L.P. et al. (2013) "Tenacibaculum Maritimum Infection: Pathology and Immunohistochemistry in Experimentally Challenged Turbot" *Microbial Pathogenesis* 65: 82-88.