


## BRHS 1996 Questionnaire data



### Data notes and Questionnaire coding instructions protocol

#### 1996 (Q96)

|                                           |                                                                                                |
|-------------------------------------------|------------------------------------------------------------------------------------------------|
| Questionnaire method                      | Self-Administered postal questionnaire                                                         |
| Type of questionnaire                     | Structured questionnaire with open-ended questions coded using a questionnaire coding protocol |
| BRHS study time point (Year of follow-up) | 16–18-year follow-up                                                                           |
| Year                                      | 1996                                                                                           |
| Mailing dates                             | 01/11/1996 with reminders sent at 6 weeks                                                      |
| Age range of sample                       | 56-78                                                                                          |
| Number of completed questionnaires        | 5263                                                                                           |
| Response rate %                           | 88%                                                                                            |

# BRHS 1996 (Q96) Questionnaire: Data notes and questionnaire coding instructions protocol

## Data notes and coding

**Notes** on coding inconsistencies, known errors, other data anomalies and additional response codes introduced during the coding stage are made for each affected question. Where possible recommendation on how the data can be treated is given.

**Coding of open-ended questions:** Responses to open-ended questions were coded (given numerical codes/categorised) using a questionnaire coding instructions protocol.

## General coding instructions

### Responses of Yes and No

Throughout the questionnaire a “**yes**” response is coded as 1 and a “**no**” response is coded as 2.

1=Yes, 2=No

### Missing values

Missing values are left blank and become dots(.) in the data file. See also coding notes for individual questions.

## Coding protocol for BRHS 1996 postal questionnaire

### Question

**Q3.0** If childhood is written as year of diagnosis add 10 on to YOB. YOB + 10

**Q4.1- Q4.7** Yes/No and Year only coded.

**Q4.6(ii) & Q4.7(ii)** If anything is written = 1

**Consent** Signature obtained = 1 otherwise leave blank

### Q5.1 Type of Cancer

| Code | Cancer type                                  | Code | Cancer type                      |
|------|----------------------------------------------|------|----------------------------------|
| 10   | Respiratory Unspecified                      | 34   | Cervical                         |
| 11   | Trachea, Lung and Bronchus                   | 35   | Womb                             |
| 12   | Larynx                                       | 36   | Ovaries                          |
| 13   | Breast                                       | 40   | Blood Unspecified                |
| 14   | Thyroid                                      | 41   | Leukemia                         |
| 20   | Gastrointestinal Unspecified                 | 42   | Lymphoma /CLL                    |
| 21   | Oesophagus                                   | 50   | Skin Unspecified / Melanoma      |
| 22   | Stomach                                      | 51   | Rodent Ulcer                     |
| 23   | Colon and Rectum                             | 52   | Connective and other soft tissue |
| 24   | Pancreas                                     | 53   | Bone all sites                   |
| 25   | Liver                                        | 60   | Brain Tumour                     |
| 26   | Oral (Lip, Salivary glands, Pharynx, Tongue) | 61   | Eye                              |
| 27   | Bowel                                        | 62   | Other Neurological Sites         |
| 30   | Genito-urinary Unspecified                   | 70   | Endocrine glands                 |
| 31   | Prostate and Testes                          | 80   |                                  |
| 32   | Bladder                                      | 90   | Type not known                   |
| 33   | Kidney                                       |      |                                  |

**Q5.2 Operation**  
Enter number of operations

**Q5.3** 1st box relates to Yes/No answer. Next two boxes relate to problems.

**Hearing**

- 01 Removal of ear
- 02 Deaf or slight loss of hearing
- 03 Trauma
- 04 Tinnitus

- 05 Meniere's Syndrome
- 06 Diseased bone
- 07 Mastoidectomy
- 08 Work related deafness
- 09 Other

**Sight**

- 01 Glaucoma
- 02 Accommodation
- 03 Blind (loss of vision)
- 04 Cataract
- 05 Lens Implant
- 06 Astigmatism / Lazy Eye
- 07 Artery problem /Circulation problem/  
Haemorrhage
- 08 Vitreous detachment

- 09 Thrombosis
- 10 Infection
- 11 Removal of eye
- 12 Dryness
- 13 Myopia
- 14 Aversion to Light (Day)
- 15 Diabetes
- 16 Detached retina
- 17 Other

**Q6.0**

☐ **Face** ☐ **Thinking** ☐

☐ **Speech** ☐ **Vision** ☐ ☐ **RIGHT** **LEFT**

☐ **Right arm** ☐ **Left arm** ☐

☐ **Right leg** ☐ **Left leg** ☐

☐ **Swallowing** ☐

## Q7.2 Aspirin

### Aspirin Dosage:

1= 75 mg / 1/2 tablet

2= 150 mg / 1 tablet

3= 225 mg / 1 1/2 tablet

4=300 mg / 2 tablet

### For what condition is Aspirin taken

The key is to differentiate between cardiovascular disease and arthritis:

|                     |     |     |                               |     |     |
|---------------------|-----|-----|-------------------------------|-----|-----|
| High Blood Pressure | ICD | 401 | Aneurysm                      | ICD | 442 |
| Heart Attack        | ICD | 410 | Prevention                    | ICD | 459 |
| Heart Failure       | ICD | 410 | Circulation Problems          | ICD | 459 |
| Angina              | ICD | 413 | Healthy Blood                 | ICD | 459 |
| Post CABG           | ICD | 414 | Head Aches                    | ICD | 346 |
| Irregular Heartbeat | ICD | 427 | Other Conditions of the Brain | ICD | 348 |
| 'to thin blood'     | ICD | 429 | Dizziness                     | ICD | 386 |
| Heart undefined     | ICD | 429 | Eye Disorders                 | ICD | 379 |
| Narrowing arteries  | ICD | 434 | Osteoarthritis                | ICD | 715 |
| Stroke              | ICD | 437 | Arthritis Unspecified         | ICD | 719 |
| Aortic Aneurysm     | ICD | 441 |                               |     |     |

**Q7.4** BNF codes for 10 medicines. BNF codes 12.34.5 are written in five boxes but read as 3 variables.  
e.g. BNF Code 2.2.1 coded as 02.02.1 and read as BNF12=2 BNF34=2 BNF5=1

Reason for taking medication is coded as an ICD code for each medicine.

Do not code non regular drugs.

## Q7.7

1= Vitamins

2= Minerals

3= Other

4= Combination of the above

## Q8.2 Diabetes

Record the earliest date given.

**Q8.4** BNF code **6.12.4** if the patient is taking more than one Diabetic Drug

## Q8.6 Diabetes in the family and age of onset

1= Mother + age of onset

2= Father + age of onset

3= Sibling + age of onset


(if more than one sibling is affected the **youngest age of onset takes preference**)

### Q9.2 Chest Pain

*Where did you get this pain?*

In question 9.2, Participants are asked to indicate on the diagram(below) where the pain or discomfort occurs. Each section on the diagram has been assigned codes 2-9. The code corresponding to the position where the pain is indicated is entered into one of 3 coding boxes.

If more than 3 positions are indicated, then sections **4,5 and 8** take priority over other positions.



### Q9.8 Previous Chest Pain

Type of responses given:

Bypass Operation

Angina Medical treatment

GTN

Pleurisy

Asthma

Heart Attack

Ulcers

Virus Pneumonia

Indigestion

Muscle Pain

Chest Infection

### Q10.3 Record earliest date only.

### Q15.1 Weight

Put **1** after weight if it is an **estimate**.

### Q15.3 When both increased and decreased was ticked or respondent reported Weight Cycling the response was coded as 5.

Added category Code 5=weight both increased & decreased/ weight cycling in last 4 years

### Q16.1 Smoking

If 98 means smoking  $\geq 98$

Most recent date of giving up to be coded.

### Q16.2 $\uparrow + \downarrow$ Added category: Both increased and decreased Smoking = 5

#### Q16.8 Smoking Codes

Reasons for stopping smoking.

1 = Miscellaneous e.g. Will Power / just stopped / Taste / Smell / Acupuncture

2 = Result of Illness / Health (problems / reasons)  
e.g. chest problems / breathing / coughing / bad chesty colds / sore throats

3 = Threat / Fear, Realisation of effects, Greater awareness  
e.g. Friends have died or been told to give up or die / Saw film about the effects of smoking.

4 = Pressure to stop from Family / Society / Environmental  
e.g. gave up with Wife / Not allowed to smoke on hospital wards/ Arrival of a baby

5 = Financial incentive. Increasing Tax / cost Saving up for a car /wedding etc.

6 = Nicotine Substitutes Gum /Patches

7 = Alternative Habit e.g. sweets / chewing gum / sports

#### Q18.6 Frequent sporting activities

|    |                                         |    |                   |
|----|-----------------------------------------|----|-------------------|
| 01 | Bowls / Skittles                        | 07 | Rowing            |
| 02 | Swimming                                | 08 | Walking           |
| 03 | Golf                                    | 09 | Fitness / Weights |
| 04 | Cycling                                 | 10 | Fishing           |
| 05 | Badminton, Tennis, Squash, Table Tennis | 11 | Other             |
| 06 | Dancing                                 |    |                   |

Code 1st Listed. Longest Time at which ever sporting activity. Many Years coded as 20.  
Total number of Hours spent on all sporting activities.

#### Q20.2 Special Diet -

|               |                         |
|---------------|-------------------------|
| 01 Low fat    | 06 High Protein         |
| 02 Fibre      | 07 Fit For Life         |
| 03 Vegetarian | 08 Slimming Low Calorie |
| 04 Diabetic   | 09 Other                |
| 05 Hay Diet   |                         |

**Q20.3** Additional category: 4= Combination of Breads. This is when respondents indicated more than 1 category.

**Q20.4** Additional category: 6= Combination of Spreading Fats. This is when respondents indicated more than 1 category.

**Q20.5** Additional category: 5= Combination of Cooking Fats. This is when respondents indicated more than 1 category.

**Q20.6** Additional category: 6= Combination of types of Milk. This is when respondents indicated more than 1 category.

#### Q20.6 Other milk:

- 01 Dried skim
- 02 UHT
- 03 Soya
- 04 Goat /Sheep
- 05 Homogenised
- 06 Tinned
- 07 Extra Cream
- 08 Other

**Q21.1** Code only the first entry. This relates to part (b) of the question.

### Mobility

- 1.0 Mobility unspecified- 'everyway' / 'tiredness'
- 1.1 Walking
- 1.2 Climbing / descending stairs
- 1.3 Leaving the house
- 1.4 Bending / Straightening
- 1.5 Kneeling
- 1.6 Sporting activities/Gardening/DIY/  
Physical Activities
- 1.7 Dizziness

### Weightbearing

- 2.1 Lifting
- 2.2 Carrying

### Personal Independence

- 3.1 Washing
- 3.2 Toileting
- 3.3 Dressing
- 3.4 Feeding
- 3.5 Sexual activity
- 4.0 Breathlessness limiting mobility
- 5.0 CO-ordination & Balance/ Shakes
- 6.0 Traveling
- 7.0 Problems relating to others  
/ Embarrassment
- 8.0 Other
- 9.0 Unable to Complete

**Q21.2 + Q21.3** Condition causing disability. This relates to first part of Q21.1 (a)

| Code | Condition                                                                            | Code | Condition                                                             |
|------|--------------------------------------------------------------------------------------|------|-----------------------------------------------------------------------|
| 10   | Circulatory system unspecified/ Varicose Veins, Heart Disease, Hardening of arteries | 45   | Back problems (disc, lumbago, sciatica, incl. back pain, spondylosis) |
| 11   | Angina                                                                               | 46   | Rheumatism                                                            |
| 12   | MI, Heart Attacks, Coronary Thrombosis                                               | 47   | Loss of limb                                                          |
| 13   | Stroke                                                                               | 48   | Osteoarthritis                                                        |
| 14   | Heart Failure                                                                        | 49   | Carpel Tunnel Syndrome                                                |
| 15   | Hypertension                                                                         |      |                                                                       |
| 20   | Respiratory system unspecified COAD                                                  | 50   | Mental illness                                                        |
| 21   | Bronchitis and emphysema                                                             | 51   | Depression                                                            |
| 22   | Asthma                                                                               | 52   | Stress /Tension/Fear/Panic Attacks/ Lack of Confidence                |
| 23   | Breathlessness unspecified                                                           | 53   | Nervous Breakdown                                                     |
| 24   | Asbestosis                                                                           | 54   | Confusion/Disorientation/Lack of concentration                        |
| 25   | Lung removed                                                                         | 60   | Endocrine Thyroid & Pancreas                                          |
| 26   | Lung Cancer                                                                          | 61   | Diabetes                                                              |
| 30   | Nervous system/ Epilepsy / Bell's Palsy                                              | 70   | Eyes sensory ENT                                                      |
| 31   | Multiple Sclerosis                                                                   | 71   | Poor sight                                                            |
| 32   | Parkinson disease                                                                    | 72   | Cataracts                                                             |
| 33   | Alzheimer's                                                                          | 73   | Deaf                                                                  |
| 34   | Polio                                                                                |      |                                                                       |
| 35   | Guillain Barre'                                                                      | 80   | G-U / Renal / Womb/Prostate/ Crohn's Disease/ Gonial                  |
| 36   | Dizziness unspecified Vertigo                                                        | 81   | Hearing Ears                                                          |
| 37   | Meniere's syndrome                                                                   | 82   | Speech Problems                                                       |
| 38   | Balance                                                                              | 83   | Hiatus hernia                                                         |
| 40   | Musculo-skeletal (incl Behets Syndrome)                                              | 84   | Stomach ulcer / Problems                                              |
| 41   | Knee (incl. pain)                                                                    | 90   | Other                                                                 |
| 42   | Hip (incl. pain)                                                                     | 91   | Side effects of Medical Treatment                                     |
| 43   | Arthritis nes.                                                                       | 92   | Old Age                                                               |
| 44   | Rheumatoid Arthritis                                                                 |      |                                                                       |

**Q23.1** Most recent marital status coded

**Q23.3** Accommodation

- 01 Licensee
- 02 Live with relatives
- 03 Housing association
- 04 Job Related
- 05 Sheltered Housing
- 06 Vicarage
- 07 Residential Home /Nursing Home
- 08 Other

## BNF DRUG CODES

|                                   |                |
|-----------------------------------|----------------|
| Accupro                           | 2.5.5          |
| Acemetacin                        | 10. 1. 1       |
| Acetazolamide                     | 11. 6          |
| Actal                             | 1.1.2          |
| Adalat                            | 2.6.2          |
| Adalat LA                         | 2.6.2          |
| Adalat Retard                     | 2.6.2          |
| Adipine                           | 2.6.2          |
| Adizem SR                         | 2.6.2          |
| Aerobec                           | 3.2            |
| Aldomet                           | 2.5.2          |
| Alfacalcidol                      | 9. 6. 4        |
| Alfuzosin                         | 7. 4. 1        |
| Alphosyl                          | 13.5.1         |
| Allopurinal (zylaric)             | 10. 1. 4       |
| Alrheumat<br>(ketoprofen)         | 10. 1. 1       |
| Amilmaxco                         | 2.2.4          |
| Amilco                            | 2.2.4          |
| Amiloride                         | 2.2.2          |
| Aminophylline                     | 3.1.3          |
| Amiodarone                        | 2. 3. 2        |
| Amitriptyline                     | 4. 3. 1        |
| Amlodipine                        | 2. 6. 2        |
| Amoxycillin                       | 5. 1. 1        |
| Angitil                           | 2.6.2          |
| Anturan                           | 10.1.4         |
| Arthrotec                         | 10.1.1         |
| Arthrofen                         | 10.1.1         |
| Arthosin                          | 10.1.1         |
| Asilone                           | 1.1.2          |
| Asprin antiplatelet<br>painkiller | 2. 9<br>10.1.1 |
| Analgesics                        | 4.7 1          |
| Atenolol (tenormin)               | 2.4            |
| Atenix                            | 2.4            |
| Atrovent                          | 3. 1. 2        |
| Augmentin                         | 5. 1. 1. 3     |
| Axid                              | 1.3.1          |
| Azothiaprime                      | 8. 2. 1        |
|                                   |                |
| Baclofen                          | 10. 2. 2       |
| Bactroban                         | 13. 10. 1      |
| Becloforte                        | 3. 2           |
| Beclozone                         | 3.2            |
| Beclomenthason                    | 3. 2           |
| Becodisk                          | 3.2            |
| Beconase                          | 12. 2. 1       |
| Becotide                          | 3. 2           |
| Bendrofluazide                    | 2. 2. 1        |
| Benzhexal                         | 4. 9. 2        |
| Betagan                           | 11. 6          |
| Betahistine                       | 4. 6           |
| Betaxlol                          | 11.6           |
| Betnesol                          | 11.4.1         |
| Betnovate                         | 13.4           |

|                   |         |
|-------------------|---------|
| Bromocriptine     | 4.9.1   |
| Brufen            | 10.1.1  |
| Budesonide        | 3. 2    |
| Bumetanide        | 2.2.2   |
| Burinex           | 2.2.2   |
| Burinex A         | 2. 2. 4 |
| Burinex K         | 2. 2. 8 |
| Buspirone HCL     | 4.1.2   |
| Buscopan          | 1.2     |
| Busulphan         | 8.1.1   |
|                   |         |
| Cacit             | 9. 5. 1 |
| Capoten           | 2.5.5   |
| Capozide          | 2.5.5   |
| Captopril         | 2.5.5   |
|                   |         |
| Carbemazepine     | 4. 8. 1 |
| Carbimazole       | 6. 2. 2 |
| Cardene (CCB)     | 2. 6. 2 |
| Cardura           | 2.5.4   |
| Catapres          | 2. 5. 2 |
| Caverject         | 7. 4. 5 |
| Celectol          | 2.4     |
| Celevac           | 1.6.1   |
| Chlordiazepoxide  | 4. 1. 2 |
| Chlorpromazine    | 4. 2. 1 |
| Chlorpropamide    | 6.1.2.1 |
| Chlorthalidone    | 2. 2. 1 |
| Cimetidine        | 1. 3. 1 |
| Ciprofibrate      | 2.12    |
| Cisapride         | 1. 2    |
| Clarityn          | 3.4.1   |
| Clomipramine      | 4. 3. 1 |
| Clonazepam        | 4.8.1   |
| Clonidine         | 2. 5. 2 |
| Co-Amilofruse     | 2. 2. 4 |
| Co-Amilozide      | 2. 2. 4 |
| Co-careldopa      | 4.9.1   |
| Co-codamol        | 4. 7. 1 |
| Codafen           | 10.1.1  |
| Co-Danthrusate    | 1.6.2   |
| Codeine           | 4. 7. 2 |
| Codeine phosphate | 1.4.2   |
| Codydramel        | 4. 7. 1 |
| Colchicine        | 10.1.4  |
| Colestid          | 2.12    |
| Colofac           | 1. 2    |
| Combivent         | 3.1.4   |
| Co-Proxamol       | 4. 7. 1 |
| Coracten          | 4. 7. 1 |
| Cordarone         | 2.3.2   |
| Corgard           | 2.4     |
| Coro-Nitro Spray  | 2.6.1   |
| Co-Tenidone       | 2.4     |
| Coversyl          | 2.5.5   |
| Creon             | 1.9.4   |

|                   |            |                        |            |
|-------------------|------------|------------------------|------------|
| Bezalip           | 2. 12      | Cromogen               | 3.3        |
| Bicalutamide      | 8.3.4      |                        |            |
| Bisacodyl         | 1.6.2      |                        |            |
| Bisoprolol        | 2. 4       |                        |            |
| Bricanyl          | 3. 1. 1    |                        |            |
| Daktacort         | 13.4       |                        |            |
| Dalmane           | 4. 1. 1    | Frusemide              | 2. 2. 2    |
| Dapsone           | 5.1        | Frusene                | 2.2.4      |
| Deltacortril      | 6.3.4      | Fybogel                | 1. 6. 1    |
| Deponil           | 2.6.1      |                        |            |
| Depixol           | 4.2.2      | Gastrocate             | 1.1.1      |
| Dermovate         | 13.4       | Gaviscon               | 1.1.1      |
| Dexa-Rhinaspray   | 12.2.3     | Gemfibrozil            | 2. 12      |
| DF 118            | 4.7.2      | Gentisone              | 12. 1. 1   |
| Diabelemide       | 6.1.2.1    | Glibenclamide          | 6. 1. 2. 1 |
| Diamicon          | 6. 1. 2. 1 | Glibenese              | 6. 1. 2. 1 |
| Diamox            | 11.6       | Gliclazide             | 6. 1. 2. 1 |
| Diazepam          | 4. 1. 2    | Glipizide              | 6. 1. 2. 1 |
| Diazide           | 2.2.1      | Glucobay               | 6. 1. 2. 3 |
| Diclofenac        | 10.1.1     | Glucophage             | 6. 1. 2. 2 |
| Diclomax          | 10.1.1     | Glyceryl Trinitrate    | 2.6.1      |
| Didronel          | 6. 6. 2    | Gopten                 | 2.5.5      |
| Diffalam          | 10. 3. 2   | Gold                   | 10.1.3     |
| Digoxin           | 2.1.1      |                        |            |
| Dihydrocodeine    | 4. 7. 2    | Harmogen               | 6. 4. 1. 1 |
| Diltiazem CCB     | 2. 6. 2    | Hydralazine            | 2.5.1      |
| Dilzem            | 2.6.2      | Hydrochlorothiazide    | 2. 2. 1    |
| Dipyridamole      | 2. 9       | Hydrococabalamin       | 9.1.2      |
| Disprin CV        | 2. 9       | Hydrocortisone         | 13.4       |
| Distalgezik       | 4. 7. 1    | Humulin M              | 6.1.1.2    |
| Ditropan          | 7. 4. 2    | Humulin S              | 6.1.1.1    |
| Diumide K         | 2. 2. 8    | Hydroxychloroquine     | 10. 1. 3   |
| Dolobid           | 10.1.1     | Hyfrin                 | 2. 5. 4    |
| Doralese          | 7.4.1      | Hypromellose           | 11.8.1     |
| Dothiopin         | 4. 3. 1    | Hypovase               | 2.5.4      |
| Dovonex           | 13.5.2     |                        |            |
| Doxazosin         | 2. 5. 4    | Ibuprofen              | 10. 1. 1   |
| Droperidol        | 4. 2. 1    | Imdur                  | 2. 6. 1    |
| Duovent           | 3.1.4      | Imigran                | 4. 7. 4    |
|                   |            | Imipramine             | 4. 3. 1    |
| Efexor            | 4.3.3      | Imodium                | 1. 4. 2    |
| Elantan           | 2.6.1      | Indapamide             | 2.2.1      |
| Eltroxin          | 6.2.1      | Inderal                | 2.4        |
| Enalapril         | 2. 5. 5    | Indocid                | 10. 1. 1   |
| Encor             | 2.4        | Indomethacin           | 10.1.1     |
| Epanutin          | 4. 8. 1    | Indoramin              | 2. 5. 4    |
| Equargesic        | 4.7.1      | Innovace               | 2. 5. 5    |
| Eplim             | 4.8.1      | Insulin (unspec)       | 6.1.1      |
| Equargesic        | 4.7.1      | Intal                  | 3. 3       |
| Eumovate          | 13.4       | Intralgin Gel          | 10.3.2     |
| Exirel            | 3.1.1      | Ipratropium            | 3.1.2      |
|                   |            | Ismo                   | 2.6.1      |
| Faverin           | 4.3.4      | Isogel                 | 1.6.1      |
| Feldene           | 10.3.2     | Isophane Insulin       | 6.1.1.2    |
| Ferrous Sulphate  | 9.1.1      | Isosorbide Mononitrate | 2.6.1      |
| Ferrocontin       | 9.1.1      | Istin                  | 2. 6. 2    |
| Ferrograd         | 9.1.1      |                        |            |
| Ferrous Gluconate | 9.1.1.     | Kapake                 | 4.7.1      |
| Finesteride       | 6.4.2      | Ketoprofen             | 10. 1. 1   |

|                        |            |                      |            |
|------------------------|------------|----------------------|------------|
| Flecainide             | 2.3.2      | Ketovite             | 9. 6. 7    |
| Flixonase              | 12.2.1     |                      |            |
| Flixotide              | 3. 2       | Labetalol            | 2. 4       |
| Flurbiprofen           | 10.1.1     | Lacidipine           | 2. 6. 2    |
| Folic Acid             | 9.1.1      | Lacri-Lube           | 11.8.1     |
| Forceval               | 9. 6. 7    | Lactulose            | 1. 6. 4    |
| Fosinopril             | 2.5.5      | Lanoxin              | 2.1.1      |
| Froben                 | 10. 1. 1   | Lansoprazole         | 1.3.5      |
| Froop                  | 2.2.2      | Lasilactone          | 2. 2. 4    |
| Fru-Co                 | 2.2.4      | Lasix                | 2.2.2      |
| Frumil                 | 2. 2. 4    | Lasoride             | 2. 2. 4    |
| Lederfen               | 10.1.1     | Orudis               | 10.1.1     |
| Lentizol               | 4.3.1      | Oruvial gel          | 10. 3. 2   |
| Librium                | 4.1.2      | Oruvial tabs         | 10. 1. 1   |
| Lipostat               | 2.12       | Ossopan              | 9. 5. 1. 1 |
| Lisinopril             | 2. 5. 5    | Oxivent              | 3.12       |
| Lithium                | 4. 2. 3    | Oxprenolol           | 2.4        |
| Locoid                 | 13. 4      | Oxybutynin           | 7. 4. 2    |
| Lodine                 | 10.1.1     | Oxygen               | 3.6        |
| Loperamide             | 1.4.2      | Oxytetracycline      | 5.13       |
| Lorazepam              | 4. 1. 2    |                      |            |
| Lormetazepam           | 4. 1. 1    | Papaverine           | 7.4.5      |
| Losec                  | 1.3.5      | Paracetamol          | 4. 7. 1    |
| Lustral                | 4.3.4      | Paroven              | 2.6.3      |
|                        |            | Paroxetine           | 4. 3. 4    |
| Madopar                | 4.9.1      | Parstelin            | 4.3.2      |
| Magnesium Trisilicate  | 1.1.1      | Penicillin           | 5.1.1      |
| Marevan                | 2.8.2      | Persantin            | 2.9        |
| Maxepa                 | 2.12       | Pharmax              | 2.6.1      |
| Maxidex                | 11.4.1     | Phenobarbitone       | 4. 8. 1    |
| Mebeverine             | 1.2        | Phenytoin            | 4.8.1      |
| Metolazone             | 2.2.1      | Phyllocontin         | 3. 1. 3    |
| Melleril               | 4.2.1      | Pilocarpine          | 11. 6      |
| Merbentyl              | 1. 2       | Piretanide           | 2. 2. 2    |
| Metformin              | 6. 1. 2. 2 | Piriton              | 2.4.1      |
| Methotrexate arthritis | 10.1.3     | Piroxicam            | 10.1.1     |
| Methotrexate skin      | 13.5.2     | Pizotifen            | 4.7.4      |
| Methyldopa             | 2. 5. 2    | Plaqueril            | 10. 1. 3   |
| Metoclopramide         | 4. 6       | Ponstan              | 10. 1. 1   |
| Metolazone             | 2.2.1      | Pravastatin          | 2.12       |
| Metoprolol             | 2.4        | Praxilene            | 2. 6. 3    |
| Metrogel               | 13.10.1    | Prazosin             | 2. 5. 4    |
| Micralax               | 1.6.4      | Prednisolone         | 6. 3. 4    |
| Migraleve              | 4. 7. 4. 1 | Predsol              | 1.5        |
| Moduretic              | 2.2.4      | Premarin             | 6. 4. 1. 1 |
| Monit SR               | 2. 6. 1    | Prepulsid            | 1.2        |
| Monocor                | 2. 4       | Prestim              | 2.4        |
| Morphine               | 4.7.2      | Priadel              | 4.2.3      |
| Motens                 | 2.6.2      | Pro-Banthine         | 1.2        |
| Movelat                | 10.3.2     | Proctofoam           | 1.7.2      |
| Mysoline               | 4. 8. 1    | Proctosedyl ointment | 1. 7. 2    |
|                        |            | Procyclidine         | 4. 9. 2    |
| Nabumetone             | 10. 1. 1   | Propine              | 11.6       |
| Naftidrofuryl          | 2. 6. 3    | Propranolol          | 2. 4       |
| Naprosyn               | 10.1.1     | Proscar              | 6.4.2      |
| Naproxen               | 10. 1. 1   | Prothiaden           | 4. 3. 1    |
| Naprtec                | 10.1.1     | Prozac               | 4.3.4      |
| Natrolix               | 2. 2. 1    | Pulmicort            | 3. 2       |
| Natural Tears          | 11.8.1     | Pyridostigmine       | 10.2.1     |

|                   |          |                    |            |
|-------------------|----------|--------------------|------------|
| Navispare         | 2. 2. 4  | Pyridoxine         | 9. 6. 2    |
| Neulin            | 3.1.3    |                    |            |
| Nicardipine       | 2. 6. 2  | Questran           | 2. 12      |
| Nicorandil        | 2.6.3    | Quinine Bisulphate | 10. 2. 2   |
| Nifedipine        | 2. 6. 2  | Quinine Sulphate   | 5.4.1      |
| Nifensal          | 2..6.2   |                    |            |
| Nitrazepam        | 4. 1. 1  | Ramipril           | 2.5.5      |
| Nitroligual spray | 2. 6. 1  | Ranitidine         | 1.3.1      |
| Nitrate patches   | 2. 6. 1  | Regulan            | 1. 6. 1    |
| Isosobide         |          |                    |            |
| Nizatidine        | 1.3.1    | Rheumox            | 10. 1. 1   |
| Normax            | 1.6.2    | Rhinocort          | 12. 2. 1   |
|                   |          | Rhinolast          | 12. 2. 1   |
| Omeprazole        | 1.3.5    | Rhumalgan          | 10.1.1     |
| Opticrom          | 11.4.2   | Rifampicin         | 5. 1. 9    |
| Rivotril          | 4.8.1    | Tildiem LA         | 2.6.2      |
| Roc (sunblock)    | 13. 8. 1 | Tildiem Retard     | 2.6.2      |
|                   |          | Timoptol           | 11. 6      |
| Salazopyrin       | 1. 5     | Tolbutamide        | 6. 1. 2. 1 |
| Salbutamol        | 3.1.1    | Tramadol           | 4. 7. 2    |
| Scheriproct       | 1.7.2    | Trandate           | 2.4        |
| Securon           | 2. 6. 2  | Transiderm Nitro   | 2.6.1      |
| Selegiline        | 4. 9. 1  | Trasidrex          | 2. 4       |
| Senna             | 1.6.2    | Trasicor           | 2. 4       |
| Septrin           | 5.1.8    | Traxam             | 10.3.2     |
| Serevent          | 3. 1. 1  | Trazadone          | 4.3.1      |
| Serc              | 4.6      | Trental            | 1.6.3      |
| Seroxat           | 4.3.4    | Tri-Adcortyl       | 13.4       |
| Sinemet           | 4. 9. 1  | Triludan           | 3. 4. 1    |
| Simvastatin       | 2. 12    | Triptafen          | 4.3.4      |
| Slo-phyllin       | 3. 1. 3  | Trimethoprim       | 5.1.8      |
| Slow K            | 9.2.1    | Trimipramine       | 4. 3. 1    |
| Slow-Traisacor    | 2.4      | Tritace            | 2.5.5      |
| Snotears          | 11. 8. 1 | Trusopt            | 11.6       |
| Sorbid            | 2.6.1    | Tylox              | 4.7.1      |
| Sorbichew         | 2.6.1    |                    |            |
| Sorbitrate        | 2.6.1    | Uniphyllin         | 3. 1. 3    |
| Solpadol          | 4.7.1    | Univer             | 2.6.2      |
| Sotacor           | 2.4      |                    |            |
| Sotalol           | 2.4      | Valproate          | 4.8.1      |
| Spironolactone    | 2. 2. 3  | Vascase            | 2.5.5      |
| Staril            | 2.5.5    | Ventide            | 3.2        |
| Stelazine         | 4. 2. 1  | Ventolin           | 3. 1. 1    |
| Stemetil          | 4. 6     | Verapamil          | 2. 6. 2    |
| Stilnoct          | 4.1.1    | Vibramycin         | 5.1.3      |
| Stugeron          | 4. 6     | Viscaldix          | 2. 4       |
| Sudafed           | 3. 10    | Viscotears         | 11. 8. 1   |
| Sulindac          | 10. 1. 1 | Vitamin B          | 9. 6. 2    |
| Sulphasalazine    | 1. 5     | Volmax             | 3.1.1      |
| Sulpiride         | 4. 2. 1  | Voltarol           | 10. 1. 1   |
| Surgam            | 10.1.1   |                    |            |
| Surmontil         | 4. 3. 1  | Warfarin           | 2. 8. 2    |
| Suscard buccal    | 2. 6. 1  |                    |            |
| Symmetrel         | 4. 9. 1  | Xanthomex          | 10.1.4     |
| Synalar ointment  | 13. 4    | Xatral             | 7.4.1      |
| Synflex           | 1.3.1    | Xyloproct          | 1.7.2      |
| Syntaris          | 12.2.1   |                    |            |
|                   |          | Zantac             | 1.3.1      |
| Tagamet           | 1.3.1    | Zestril            | 2.5.5      |

|              |            |
|--------------|------------|
| Tamoxifen    | 8. 3. 4. 1 |
| Tegretol     | 4.8.1      |
| Temazepam    | 4. 1. 1    |
| Temgesic     | 4. 7. 2    |
| Tenif        | 2.4        |
| Tenoret 50   | 2. 4       |
| Tenoretic    | 2. 4       |
| Tenormin     | 2. 4       |
| Teoptic      | 11.6       |
| Terazoin     | 7.4.1      |
| Terbutaline  | 3. 1. 1    |
| Terfenadine  | 3.4.1      |
| Tetrabid     | 5.1.3      |
| Tetracycline | 5. 1. 3    |
| Theophylline | 3. 1. 3    |
| Thiamine     | 9.6.2      |
| Thiaordazine | 4. 2. 1    |
| Thyroxine    | 6. 2. 1    |
| Tibolone     | 6. 4. 1. 1 |
| Tildiem      | 2.6.2      |

|          |         |
|----------|---------|
| Zimovane | 4. 1. 1 |
| Zirtek   | 3.4.1   |
| Zocor    | 2.12    |
| Zoladex  | 8.3.4   |
| Zoton    | 1.3.5   |
| Zyloric  | 10.1.4  |
| Zydol    | 4.7.2   |

|                   |         |
|-------------------|---------|
| HRT               |         |
| Climaval          | 6.4.1.1 |
| Estraderm         | 6.4.1.1 |
| Evorel            | 6.4.1.1 |
| Itormonin         | 6.4.1.1 |
| Livial            | 6.4.1.1 |
| Micronor          | 6.4.1.2 |
| Othro-Dienoestrol | 7.2.1   |
| Premarin          | 6.4.1.1 |
| Prempack          | 6.4.1.1 |