

1989

Cook DG, Shaper AG. Breathlessness, angina pectoris and coronary artery disease. *American Journal of Cardiology* 1989; 63(13):921-924.

Cook DG, Shaper AG, Macfarlane PW. Using the WHO (Rose) angina questionnaire in cardiovascular epidemiology. *International Journal of Epidemiology* 1989; 18(3):607-613.

Elford J, Phillips AN, Thomson AG, Shaper AG. Migration and geographic variations in ischaemic heart disease in Great Britain. *Lancet* 1989; 1(8634):343-346.

Elford J, Shaper AG. Heart disease risks [letter]. *Nature* 1989; 340(6234):514.

Elford J. Migration and ischaemic heart disease in the British Regional Heart Study. Thesis: PhD. 1989 University of London.

Phillips A, Shaper AG, Whincup PH. Association between serum albumin and mortality from cardiovascular disease, cancer, and other causes. *Lancet* 1989; 2(8677):1434-1436. (published erratum appears in *Lancet* 1990;335(8682):180).

Phillips A, Shaper AG. Relative weight and major ischaemic heart disease events in hypertensive men. [Review]. *Lancet* 1989; 1(8645):1005-1008.

Phillips AN, Shaper AG. Secondary prevention of coronary heart disease (letter). *Lancet* 1989;71-72.

Phillips AN, Pocock SJ. Sample size requirements for prospective studies, with examples for coronary heart disease. *Journal of Clinical Epidemiology* 1989; 42(7):639-648.

Pocock SJ, Ashby D, Shaper AG, Walker M, Broughton PM. Diurnal variations in serum biochemical and haematological measurements. *Journal of Clinical Pathology* 1989; 42(2):172-179.

Pocock SJ, Shaper AG, Phillips AN. Concentrations of high density lipoprotein cholesterol, triglycerides, and total cholesterol in ischaemic heart disease. *British Medical Journal* 1989; 298(6679):998-1002.

Shaper AG, Phillips AN, Pocock SJ. Plasma cholesterol, coronary heart disease and cancer (letter). *British Medical Journal* 1989; 298:1381.

Walker M, Shaper AG, Phillips AN, Cook DG. Short stature, lung function and risk of a heart attack. *International Journal of Epidemiology* 1989; 18(3):602-606.

Wannamethee G, Shaper AG. Body weight and mortality in middle aged British men: impact of smoking. *British Medical Journal* 1989; 299(6714):1497-1502.

Whincup PH, Cook DG, Shaper AG. Early influences on blood pressure: a study of children aged 5-7 years. *British Medical Journal* 1989; 299(6699):587-591.

Whincup PH, Cook DG, Shaper AG. Blood pressure measurement in children: the importance of cuff bladder size. *Journal of Hypertension* 1989; 7(10):845-850.

1988

Bruce NG, Shaper AG, Walker M, Wannamethee G. Observer bias in blood pressure studies. *Journal of Hypertension* 1988; 6(5):375-380.

Cook DG, Shaper AG. Breathlessness, lung function and the risk of heart attack. *European Heart Journal* 1988; 9(11):1215-1222.

Phillips AN, Shaper AG, Pocock SJ, Walker M, Macfarlane PW. The role of risk factors in heart attacks occurring in men with pre-existing ischaemic heart disease. *British Heart Journal* 1988; 60(5):404-410.

Phillips AN, Shaper AG, Pocock SJ, Walker M. Parental death from heart disease and the risk of heart attack. *European Heart Journal* 1988; 9(3):243-251.

Pocock SJ, Shaper AG, Ashby D, Delves HT, Clayton BE. The relationship between blood lead, blood pressure, stroke, and heart attacks in middle-aged British men. *Environmental Health Perspectives* 1988; 78:23-30.

Pocock SJ, Delves HT, Ashby D, Shaper AG, Clayton BE. Blood cadmium concentrations in the general population of British middle-aged men. *Human Toxicology* 1988; 7(2):95-103.

Pocock SJ, Shaper AG, Phillips AN, Walker M. Prediction of men at high risk of heart attack and its relevance to pilots. *European Heart Journal* 1988; 9 Suppl G:25-30.

Shaper AG, Wannamethee G, Whincup P. Alcohol and blood pressure in middle-aged British men. *Journal of Human Hypertension* 1988; 2(2):71-78.

Shaper AG, Ashby D, Pocock SJ. Blood pressure and hypertension in middle-aged British men. *Journal of Hypertension* 1988; 6(5):367-374.

Shaper AG, Wannamethee G, Walker M. Alcohol and mortality in British men: explaining the U-shaped curve. *Lancet* 1988; 2(8623):1267-1273.

Walker M, Shaper AG, Wannamethee G. Height and social class in middle-aged British men. *Journal of Epidemiology & Community Health* 1988; 42(3):299-303.

Wannamethee G, Shaper AG. Changes in drinking habits in middle-aged British men. *Journal of the Royal College of General Practitioners* 1988; 38(315):440-442.

Wannamethee G, Shaper AG. Men who do not drink: a report from the British Regional Heart Study. *International Journal of Epidemiology* 1988; 17(2):307-316.

Weatherall R, Shaper AG. Overweight and obesity in middle-aged British men. *European Journal of Clinical Nutrition* 1988; 42(3):221-231.

Whincup PH, Cook DG, Shaper AG. Social class and height [letter]. *British Medical Journal* 1988; 297(6654):980-981.

Whincup PH, Cook DG, Shaper AG, Macfarlane DJ, Walker M. Blood pressure in British children: associations with adult blood pressure and cardiovascular mortality. *Lancet* 1988; 2(8616):890-893.

1987

Cook DG. Respiratory function, smoking and coronary heart disease in British men. Thesis: PhD. 1987 University of London.

Flegel KM, Shipley MJ, Rose G. Risk of stroke in non-rheumatic atrial fibrillation. *Lancet* 1987; 1(8532):526-529. (published erratum appears in *Lancet* 1987; 1(8537):878).

Johnston DW, Cook DG, Shaper AG. Type A behaviour and ischaemic heart disease in middle aged British men. *British Medical Journal* 1987; 295(6590):86-89.

Macfarlane PW. British Regional Heart Study: the electrocardiogram and risk of myocardial infarction on follow-up. *Journal of Electrocardiology* 1987; 20 Suppl:53-56.

Pocock SJ, Shaper AG, Cook DG, Phillips AN, Walker M. Social class differences in ischaemic heart disease in British men. *Lancet* 1987; 2(8552):197-201.

Shaper AG, Phillips AN, Pocock SJ, Walker M. Systolic and diastolic blood pressures in the prediction of heart attacks and stroke. *Journal of Hypertension* 1987; 5(6):41.

Shaper AG, Pocock SJ. Risk factors for ischaemic heart disease in British men [editorial]. *British Heart Journal* 1987; 57(1):11-16.

Shaper AG, Phillips AN, Pocock SJ, Walker M. Alcohol and ischaemic heart disease in middle aged British men. *British Medical Journal* 1987; 294(6574):733-737.

Shaper AG, Pocock SJ, Phillips AN, Walker M. A scoring system to identify men at high risk of a heart attack. *Health Trends* 1987; 19(2):37-39.

Shaper AG. Risk factors for ischaemic heart disease. *Health Trends* 1987; 19:3-8.

Walker M. Mortality and social class [letter]. *Lancet* 1987; 2(8561):746.

Walker M, Shaper AG, Cook DG. Non-participation and mortality in a prospective study of cardiovascular disease. *Journal of Epidemiology & Community Health* 1987; 41(4):295-299.

Whincup PH, Cook DG, Shaper AG. Alcohol consumption in England and Wales (letter). *British Medical Journal* 1987; 295(6608): 1278-1279.

1986

Ashby D, Pocock SJ, Shaper AG. Ordered polytomous regression: An example relating serum biochemistry and haematology to alcohol consumption. *The Journal of the Royal Statistical Society* 1986; 35(3):289-301. Broughton PM, Holder R, Ashby D. Long-term trends in biochemical data obtained from two population surveys. *Annals of Clinical Biochemistry* 1986; 23(4):474-486.

Cook DG, Shaper AG, Pocock SJ, Kussick SJ. Giving up smoking and the risk of heart attacks. A report from The British Regional Heart Study. *Lancet* 1986; 2(8520):1376-1380.

Cook DG, Shaper AG, Thelle DS, Whitehead TP. Serum uric acid, serum glucose and diabetes: relationships in a population study. *Postgraduate Medical Journal* 1986; 62(733):1001-1006.

Cook DG. Can we detect an effect of unemployment on cardiovascular morbidity or mortality? *Postgraduate Medical Journal* 1986; 62(730):801-804.

Phillips AN. Statistical issues in prospective studies of risk factors for ischaemic heart disease. Thesis: PhD. 1986 University of London.

Pocock SJ, Shaper AG, Phillips AN, Walker M, Whitehead TP. High density lipoprotein cholesterol is not a major risk factor for ischaemic heart disease in British men. *British Medical Journal* 1986; 292(6519):515-519.

Shaper AG. Identification of risk factors for coronary heart disease. In Proceedings of the Glasgow heart disease symposium: Lipoproteins and coronary heart disease. Editors: Shepherd J, Packard CJ, Lorimer AR, Lawrie TDV, Morgan HG, Brownlie SM. Publishers: Blantyre Printing London & Glasgow 1986; 77-86.

Shaper AG, Pocock SJ, Phillips AN, Walker M. Identifying men at high risk of heart attacks: strategy for use in general practice. British Medical Journal 1986; 293(6545):474-479.

1985

Cook DG. A critical view of the unemployment and health debate. The Statistician 1985;34(1): 73-82. Pocock SJ, Shaper AG, Ashby D, Delves HT. Blood lead and blood pressure in middle-aged men. In Lead Environmental Health - The Current Issues. Publishers: Division of Occupational Medicine Duke University, Durham North Carolina, USA. 1985; 75-80.

Pocock SJ, Shaper AG, Powell P. The British Regional Heart Study: cardiovascular disease and water quality. In Drinking Water and Cardiovascular Disease. Publishers: Water Research Centre, Marlow, England. 1985; Chapter 12: 111-127.

Shaper AG, Pocock SJ. British blood cholesterol values and the American consensus [letter]. British Medical Journal 1985;291(6493): 480-481.

Shaper AG, Pocock SJ, Ashby D, Walker M, Whitehead TP. Biochemical and haematological response to alcohol intake. Annals of Clinical Biochemistry 1985;22 (1): 50-61.

Shaper AG, Pocock SJ, Walker M, Phillips AN, Whitehead TP, Macfarlane PW. Risk factors for ischaemic heart disease: the prospective phase of the British Regional Heart Study. Journal of Epidemiology & Community Health 1985; 39(3):197-209.

Shaper AG, Pocock SJ. Blood lead and blood pressure [editorial]. British Medical Journal 1985; 291(6503):1147-1149.

Walker M. A comparative study of non-responders and responders in health research. Thesis: MA. 1985 University of Leeds.

1984

Ashby D. A Statistical investigation of the relationship of serum biochemistry and haematology to alcohol consumption. Thesis: PhD. 1984 University of London. Cook DG, Shaper AG. Unemployment and health. In Recent Advances in Occupational Health. Editors: Harrington, J. M. Publishers: Churchill Livingstone, London 1984; Chapter 18, 233-249.

Kussick S. The prevalence of chronic bronchitis in a cohort of 7735 middle-aged British men. Thesis: MSc. 1984. University of London.

Pocock SJ, Shaper AG, Ashby D, Delves T, Whitehead TP. Blood lead concentration, blood pressure, and renal function. BMJ 1984; 289(6449): 872-874.

Shaper AG, Cook DG, Walker M, Macfarlane PW. Recall of diagnosis by men with ischaemic heart disease. British Heart Journal 1984; 51(6): 606-611.

Shaper AG, Cook DG, Walker M, Macfarlane PW. Prevalence of ischaemic heart disease in middle aged British men. British Heart Journal 1984; 51(6): 595-605.

Shaper AG. Geographic variations in cardiovascular mortality in Great Britain. [Review]. British Medical Bulletin 1984; 40(4): 366-373.

Walker M, Shaper AG. Follow-up of subjects in prospective studies based in general practice. Journal of the Royal College of General Practitioners 1984;34(264): 365-370.

1983

Broughton PMG, Holder R, Anglesea J. Long term trends in biochemical data. In Proceedings of the Medinfo 83 Seminars. Editor: Fokkens O. 1983; 288-289. Cook DG, Pocock SJ. Multiple Regression in geographical mortality studies, with allowance for spatially correlated errors. Biometrics 1983; 39(2): 361-371.

Pocock SJ, Shaper AG, Walker M, Wale CJ, Clayton B, Delves T et al. Effects of tap water lead, water hardness, alcohol, and cigarettes on blood lead concentrations. Journal of Epidemiology & Community Health 1983; 37(1): 1-7.

Shaper AG, Pocock SJ, Packham RF, Lacey RF, Powell P. Softness of drinking water and cardiovascular disease - practical implications of recent research. Health Trends 1983;15: 22-24.

Thelle DS, Shaper AG, Whitehead TP, Bullock DG, Ashby D, Patel I. Blood lipids in middle-aged British men. British Heart Journal 1983; 49(3): 205-213.

1982

Cook DG, Cummins RO, Bartley MJ, Shaper AG. Health of unemployed middle-aged men in Great Britain. Lancet 1982; 1(8284):1290-1294. Cripps P. Alcohol and disease: an investigation into the health of non-drinkers. Thesis: MSc. 1982 University of London.

Cummins RO, Cook DG, Hume RC, Shaper AG. Tranquillizer use in middle-aged British men. Journal of the Royal College of General Practitioners 1982; 32(245):745-752.

Pocock SJ, Cook DG, Shaper AG. Analysing geographic variation in cardiovascular mortality: Methods and results. The Journal of the Royal Statistical Society 1982; 145(3): 313-341.

Shaper AG, Pocock SJ, Walker M, Wale CJ, Clayton B, Delves HT et al. Effects of alcohol and smoking on blood lead in middle-aged British men. BMJ 1982; 284(6312):299-302.

1981

Cummins RO, Shaper AG, Walker M, Wale CJ. Smoking and drinking by middle-aged British men: effects of social class and town of residence. BMJ 1981; 283(6305):1497-1502. Cummins RO, Shaper AG, Walker M. Methodological problems with estimation of salt intake (letter). Lancet 1981; 1(8234):1373-1374.

Masironi R, Shaper AG. Epidemiological studies of health effects of water from different sources. Annual Review of Nutrition 1981; 1:390-400.

Pocock SJ, Shaper AG, Packham RF. Studies of water quality and cardiovascular disease in the United Kingdom. Science of the Total Environment 1981; 18:25-34.

Pocock SJ, Cook DG, Beresford SAA. Regression of area mortality rates on explanatory variables: What weighting is appropriate? The Journal of the Royal Statistical Society 1981; 30(3):286-295.

Shaper AG, Pocock SJ, Walker M, Cohen NM, Wale CJ, Thomson AG. British Regional Heart Study: cardiovascular risk factors in middle-aged men in 24 towns. *BMJ* 1981; 283(6285):179-186.

1980

Pocock SJ, Shaper AG, Cook DG, Packham RF, Lacey RF, Powell P et al. British Regional Heart Study: geographic variations in cardiovascular mortality, and the role of water quality. *BMJ* 1980; 280 (6226):1243-1249.

Shaper AG, Packham RF, Pocock SJ. The British Regional Heart Study: cardiovascular mortality and water quality. *Journal of Environmental Pathology & Toxicology* 1980; 4(2-3):89-111