

1999

Cook DG, Whincup PH, Miller G, Carey IM, Adshead FJ, Papacosta O et al. Fibrinogen and factor VII levels are related to adiposity but not to fetal growth or social class in children aged 10-11 years. *American Journal of Epidemiology* 1999; 150(7):727-736.

Ebrahim S, Papacosta O, Whincup P, Wannamethee G, Walker M, Nicolaides AN et al. Carotid plaque, intima media thickness, cardiovascular risk factors, and prevalent cardiovascular disease in men and women: the British Regional Heart Study. *Stroke* 1999; 30(4):841-850.

Lampe FC, Walker M, Lennon LT, Whincup PH, Ebrahim S. Validity of a self-reported history of doctor-diagnosed angina. *Journal of Clinical Epidemiology* 1999; 52(1):73-81.

Perry IJ, Wannamethee SG, Shaper AG, Alberti KG. Serum true insulin concentration and the risk of clinical non-insulin dependent diabetes during long-term follow-up. *International Journal of Epidemiology* 1999; 28(4):735-741.

Perry IJ. Homocysteine and risk of stroke. *Journal of Cardiovascular Risk* 1999; 6(4):235-240.

Shaper AG. Drinking after a heart attack (Editorial). *Addiction* 1999; 94(7):957-959.

Walker M, Shaper AG, Wannamethee SG, Whincup PH. Measuring the prevalence of disease in middle-aged British men. *Journal of the Royal College of Physicians of London* 1999; 33(4):351-358.

Wannamethee SG, Perry IJ, Shaper AG. Nonfasting serum glucose and insulin concentrations and the risk of stroke. *Stroke* 1999; 30(9):1780-1786.

Wannamethee SG, Shaper AG. Weight change and duration of overweight and obesity in the incidence of type 2 diabetes. *Diabetes Care* 1999; 22(8):1266-1272.

Wannamethee SG, Shaper AG. Physical activity and the prevention of stroke. *Journal of Cardiovascular Risk* 1999; 6(4):213-216.

Wannamethee SG, Shaper AG. Type of alcoholic drink and risk of major coronary heart disease events and all-cause mortality. *American Journal of Public Health* 1999; 89(5):685-690.

Wannamethee SG. Overview risk factors for stroke. *Journal of Cardiovascular Risk* 1999; 6(4):199-202.

Wannamethee SG. Is serum uric acid a risk factor for coronary heart disease?. [Review]. *Journal of Human Hypertension* 1999; 13(3):153-156.

Wannamethee SG, Shaper AG, Whincup PH, Walker M. Role of risk factors for major coronary heart disease events with increasing length of follow up. *Heart* 1999; 81(4):374-379.

Whincup PH, Refsum H, Perry IJ, Morris R, Walker M, Lennon L et al. Serum total homocysteine and coronary heart disease: prospective study in middle aged men. *Heart* 1999; 82(4):448-454.

1998

Lampe FC, Whincup PH, Wannamethee SG, Ebrahim S, Walker M, Shaper AG. Chest pain on questionnaire and prediction of major ischaemic heart disease events in men. *European Heart Journal* 1998; 19(1):63-73.

Perry IJ, Wannamethee SG, Shaper AG. Prospective study of serum gamma-glutamyltransferase and risk of NIDDM. *Diabetes Care* 1998; 21(5):732-737.

Shaper AG, Wannamethee SG. The J-shaped curve and changes in drinking habit. [Review]. *Novartis Foundation Symposium* 216. 1998;173-188.

Taylor SJ, Hird K, Whincup P, Cook D. Relation between birth weight and blood pressure is independent of maternal blood pressure [letter]. *British Medical Journal* 1998; 317(7159):680.

Walker MK, Whincup PH, Shaper AG, Lennon LT, Thomson AG. Validation of patient recall of doctor-diagnosed heart attack and stroke: a postal questionnaire and record review comparison. *American Journal of Epidemiology* 1998; 148(4):355-361.

Wannamethee SG, Shaper AG, Walker M, Ebrahim S. Lifestyle and 15-year survival free of heart attack, stroke, and diabetes in middle-aged British men. *Archives of Internal Medicine* 1998; 158(22):2433-2440.

Wannamethee SG, Shaper AG, Durrington PN, Perry IJ. Hypertension, serum insulin, obesity and the metabolic syndrome. *Journal of Human Hypertension* 1998; 12(11):735-741.

Wannamethee SG, Shaper AG, Whincup PH, Walker M. Adult height, stroke, and coronary heart disease. *American Journal of Epidemiology* 1998; 148(11):1069-1076.

Wannamethee SG, Shaper AG. Alcohol, coronary heart disease and stroke: an examination of the J-shaped curve. [Review]. *Neuroepidemiology* 1998; 17(6):288-295.

Wannamethee SG, Shaper AG, Walker M. Changes in physical activity, mortality, and incidence of coronary heart disease in older men. *Lancet* 1998; 351(9116):1603-1608.

Whincup PH. Fetal origins of cardiovascular risk: evidence from studies in children. [Review]. *Proceedings of the Nutrition Society* 1998; 57(1):123-127.

1997

Cook DG, Carey IM, Whincup PH, Papacosta O, Chirico S, Bruckdorfer KR et al. Effect of fresh fruit consumption on lung function and wheeze in children. *Thorax* 1997; 52(7):628-633. Leeson CP, Whincup PH, Cook DG, Donald AE, Papacosta O, Lucas A et al. Flow-mediated dilation in 9- to 11-year-old children: the influence of intrauterine and childhood factors. *Circulation* 1997; 96(7):2233-2238.

McCallum AK, Whincup PH, Morris RW, Thomson A, Walker M, Ebrahim S. Aspirin use in middle-aged men with cardiovascular disease: are opportunities being missed? *British Journal of General Practice* 1997; 47(420):417-421.

Perry IJ, Wannamethee SG, Shaper AG. Serum insulin and risk of coronary heart disease. *Nutrition Metabolism and Cardiovascular Diseases* 1997; 7:63-69.

Shaper AG, Wannamethee SG, Walker M. Body weight: implications for the prevention of coronary heart disease, stroke, and diabetes mellitus in a cohort study of middle aged men. *British Medical Journal* 1997; 314(7090):1311-1317.

Taylor SJ, Whincup PH, Cook DG, Papacosta O. Blood pressure in pregnancy and fetal growth [letter]. *Lancet* 1997; 349(9054):802-803.

Taylor SJ, Whincup PH, Cook DG, Papacosta O, Walker M. Size at birth and blood pressure: cross sectional study in 8-11 year old children. *British Medical Journal* 1997; 314(7079):475-480.

Wannamethee SG, Shaper AG. Lifelong teetotallers, ex-drinkers and drinkers: mortality and the incidence of major coronary heart disease events in middle-aged British men. *International Journal of Epidemiology* 1997; 26(3):523-531.

Wannamethee SG, Shaper AG, Whincup PH. Serum urate and the risk of major coronary heart disease events. *Heart* 1997; 78(2):147-153.

Wannamethee SG, Shaper AG. Socioeconomic status within social class and mortality: a prospective study in middle-aged British men. *International Journal of Epidemiology* 1997; 26(3):532-541.

Wannamethee SG, Shaper AG, Perry IJ. Serum creatinine concentration and risk of cardiovascular disease: a possible marker for increased risk of stroke. *Stroke* 1997; 28(3):557-563.

Wannamethee SG, Lever AF, Shaper AG, Whincup PH. Serum potassium, cigarette smoking, and mortality in middle-aged men. *American Journal of Epidemiology* 1997; 145(7):598-606.

Whincup PH, Cook DG, Adshead F, Taylor SJ, Walker M, Papacosta O et al. Childhood size is more strongly related than size at birth to glucose and insulin levels in 10-11-year-old children. *Diabetologia* 1997; 40(3):319-326.

1996

Griffin M. High resolution ultrasound increasing the predictive value of the British Regional Heart Study risk score. Thesis: MSc. 1996 University of London. Morris RW, McCallum AK, Walker M, Whincup PH, Ebrahim S, Shaper AG. Cigarette smoking in British men and selection for coronary artery bypass surgery. *Heart* 1996; 75(6):557-562.

Perry IJ. Risk factors for non-insulin dependent diabetes mellitus in middle-aged men. Thesis: PhD. 1996 University of London.

Perry IJ, Wannamethee SG, Whincup PH, Shaper AG, Walker MK, Alberti KG. Serum insulin and incident coronary heart disease in middle-aged British men. *American Journal of Epidemiology* 1996; 144(3):224-234.

Phillips AN, Wannamethee SG, Walker M, Thomson A, Smith GD. Life expectancy in men who have never smoked and those who have smoked continuously: 15 year follow up of large cohort of middle aged British men. *British Medical Journal* 1996; 313(7062):907-908.

Shaper AG. Obesity and cardiovascular disease. [Review]. *Ciba Foundation Symposium* 201 1996;90-103.

Shaper AG. Sensible but not particularly logical. (Commentary on Guidelines on sensible drinking). *Addiction* 1996; 91(1):29-31.

Wannamethee G, Shaper AG. Blood pressure and cancer in middle-aged British men. *International Journal of Epidemiology* 1996; 25(1):22-31.

Wannamethee SG, Perry IJ, Shaper AG. Hematocrit and risk of NIDDM. *Diabetes* 1996; 45(5):576-579.

Wannamethee SG, Shaper AG. Patterns of alcohol intake and risk of stroke in middle-aged British men. *Stroke* 1996; 27(6):1033-1039.

Wannamethee SG, Whincup PH, Shaper G, Walker M. Influence of fathers' social class on cardiovascular disease in middle-aged men. *Lancet* 1996; 348(9037):1259-1263.

Wannamethee SG, Shaper AG, Ebrahim S. History of parental death from stroke or heart trouble and the risk of stroke in middle-aged men. *Stroke* 1996; 27(9):1492-1498.

Whincup PH, Mendall MA, Perry IJ, Strachan DP, Walker M. Prospective relations between *Helicobacter pylori* infection, coronary heart disease, and stroke in middle aged men. *Heart* 1996; 75(6):568-572.

Whincup PH, Cook DG, Adshead F, Taylor S, Papacosta O, Walker M et al. Cardiovascular risk factors in British children from towns with widely differing adult cardiovascular mortality. *British Medical Journal* 1996; 313(7049):79-84.

1995

Breimer LH, Wannamethee G, Ebrahim S, Shaper AG. Serum bilirubin and risk of ischemic heart disease in middle-aged British men. *Clinical Chemistry* 1995; 41(10):1504-1508. Coppola WG, Whincup PH, Papacosta O, Walker M, Ebrahim S. Scoring system to identify men at high risk of stroke: a strategy for general practice. *British Journal of General Practice* 1995; 45(393):185-189.

Ebrahim S, Wannamethee G, McCallum A, Walker M, Shaper AG. Marital status, change in marital status, and mortality in middle-aged British men. *American Journal of Epidemiology* 1995; 142(8):834-842.

Perry IJ, Wannamethee SG, Walker MK, Thomson AG, Whincup PH, Shaper AG. Prospective study of risk factors for development of non-insulin dependent diabetes in middle aged British men. *British Medical Journal* 1995; 310(6979):560-564.

Perry IJ, Refsum H, Morris RW, Ebrahim SB, Ueland PM, Shaper AG. Prospective study of serum total homocysteine concentration and risk of stroke in middle-aged British men. *Lancet* 1995; 346(8987):1395-1398.

Prospective Studies Collaboration. Cholesterol, diastolic blood pressure, and stroke: 13,000 strokes in 450,000 people in 45 prospective cohorts. *Lancet* 1995; 346(8991-8992):1647-1653.

Shaper AG. Alcohol and coronary heart disease. [Review]. *European Heart Journal* 1995; 16(12):1760-1764.

Shaper AG. Alcohol and uricaemia [letter]. *Alcohol & Alcoholism* 1995; 30(2):263.

Shaper AG. Mortality and alcohol consumption. Non-drinkers shouldn't be used as baseline [letter]. *British Medical Journal* 1995; 310(6975):325.

Shaper AG. The "unhealthy abstainers" question is still important. *Addiction* 1995; 90(4):488-490.

Walker M, Wannamethee G, Whincup PH, Shaper AG. Weight change and risk of heart attack in middle-aged British men. *International Journal of Epidemiology* 1995; 24(4):694-703.

Wannamethee G, Shaper AG, Whincup PH, Walker M. Low serum total cholesterol concentrations and mortality in middle aged British men. *British Medical Journal* 1995; 311(7002):409-413.

Wannamethee G, Shaper AG, Macfarlane PW, Walker M. Risk factors for sudden cardiac death in middle-aged British men. *Circulation* 1995; 91(6):1749-1756.

Wannamethee G, Whincup PH, Shaper AG, Walker M, Macfarlane PW. Factors determining case fatality in myocardial infarction "who dies in a heart attack"? *British Heart Journal* 1995; 74(3):324-331.

Wannamethee G, Ebrahim S, Shaper AG. Gamma-glutamyltransferase: determinants and association with mortality from ischemic heart disease and all causes. *American Journal of Epidemiology* 1995; 142(7):699-708.

Wannamethee SG, Shaper AG, Ebrahim S. Respiratory function and risk of stroke. *Stroke* 1995; 26(11):2004-2010.

Wannamethee SG, Shaper AG, Whincup PH, Walker M. Smoking cessation and the risk of stroke in middle-aged men. *JAMA* 1995; 274(2):155-160.

Whincup P, Cook D, Papacosta O, Walker M. Birth weight and blood pressure: cross sectional and longitudinal relations in childhood. *British Medical Journal* 1995; 311(7008):773-776.

Whincup PH, Wannamethee G, Macfarlane PW, Walker M, Shaper AG. Resting electrocardiogram and risk of coronary heart disease in middle-aged British men. *Journal of Cardiovascular Risk* 1995; 2(6):533-543.

1994

Cook DG, Whincup PH, Jarvis MJ, Strachan DP, Papacosta O, Bryant A. Passive exposure to tobacco smoke in children aged 5-7 years: individual, family, and community factors. *British Medical Journal* 1994; 308(6925):384-389. Geroulakos G, O'Gorman D, Nicolaides A, Sheridan D, Elkeles R, Shaper AG. Carotid intima-media thickness: correlation with the British Regional Heart Study risk score. *Journal of Internal Medicine* 1994; 235(5):431-433.

Morris JK, Cook DG, Shaper AG. Loss of employment and mortality. *British Medical Journal* 1994; 308(6937):1135-1139.

Morris RW, Walker M, McCallum AK, Whincup PH, Ebrahim S. Access to cardiac catheterization. Access to surgery linked to social class (letter). *British Medical Journal* 1994; 308(6925):410.

Perry IJ, Whincup PH, Shaper AG. Environmental factors in the development of essential hypertension. [Review]. *British Medical Bulletin* 1994; 50(2):246-259.

Perry IJ, Wannamethee SG, Whincup PH, Shaper AG. Asymptomatic hyperglycaemia and major ischaemic heart disease events in Britain. *Journal of Epidemiology & Community Health* 1994; 48(6):538-542.

Shaper AG, Perry IJ. Screening people with diabetes for risk of coronary heart disease in general practice. *Practical Diabetes* 1994; 11:228-231.

Shaper AG, Wannamethee G, Walker M. Physical activity, hypertension and risk of heart attack in men without evidence of ischaemic heart disease. *Journal of Human Hypertension* 1994; 8(1):3-10.

Shaper AG, Wannamethee SG. Physical activity and cerebrovascular risk. In *Neurocardiology Update: Proceedings of the III National Congress Italian Society of Cardiology*. Editors: Nappi G, Richichi I, Michieli G, Friedman M. Publishers: Smith-Gordon London 1994;(2) 7-12.

Shaper AG, Wannamethee G, Walker M. Alcohol and coronary heart disease: a perspective from the British Regional Heart Study. *International Journal of Epidemiology* 1994; 23(3):482-494.

Shaper AG. Water hardness and coronary heart disease. In *Water and Public Health*. Editors: Golding, AMB., Noah N, Stanwell-Smith R. Publishers: Smith-Gordon London 1994;155-170.

Wannamethee G, Whincup PH, Shaper AG, Lever AF. Serum sodium concentration and risk of stroke in middle-aged males. *Journal of Hypertension* 1994; 12(8):971-979.

Wannamethee G, Shaper AG. The association between heart rate and blood pressure, blood lipids and other cardiovascular risk factors. *Journal of Cardiovascular Risk* 1994; 1(3):223-230.

Wannamethee G, Perry IJ, Shaper AG. Haematocrit, hypertension and risk of stroke. *Journal of Internal Medicine* 1994; 235(2):163-168.

Wannamethee G, Shaper AG. Haematocrit: relationships with blood lipids, blood pressure and other cardiovascular risk factors. *Thrombosis & Haemostasis* 1994; 72(1):58-64.

Wannamethee G, Shaper AG, Whincup PH. Ischaemic heart disease: association with haematocrit in the British Regional Heart Study. *Journal of Epidemiology & Community Health* 1994; 48(2):112-118.

Whincup P, Cook D, Papacosta O, Walker M, Perry I. Maternal factors and development of cardiovascular risk: evidence from a study of blood pressure in children. *Journal of Human Hypertension* 1994; 8(5):337-343.

Whincup PH, Perry IJ, Shaper AG. Regional differences in blood pressure in developed countries: Fetal influences. In *Factors acting in early life*. Editor: Swales JD. Publishers: Blackwell Scientific London, 1994; Chapter 2: 36-45.

1993

Bruce NG, Wannamethee G, Shaper AG. Lifestyle factors associated with geographic blood pressure variations among men and women in the UK. *Journal of Human Hypertension* 1993; 7(3):229-238. Cook DG, Whincup PH, Papacosta O, Strachan DP, Jarvis MJ, Bryant A. Relation of passive smoking as assessed by salivary cotinine concentration and questionnaire to spirometric indices in children. *Thorax* 1993; 48(1):14-20.

Perry IJ, Wannamethee SG, Walker MK, Shaper AG. Sporting activity and hyperglycemia in middle-aged men. *Diabetes Care* 1993; 16(4):581-583.

Shaper AG, Wannamethee G, Macfarlane PW, Walker M. Heart rate, ischaemic heart disease, and sudden cardiac death in middle-aged British men. *British Heart Journal* 1993; 70(1):49-55.

Shaper AG. Alcohol, the Heart, and Health [editorial]. *American Journal of Public Health* 1993; 83(6):799-801.

Shaper AG. Alcohol and Coronary Heart Disease. *Cardiovascular Risk Factors* 1993; 3(4):207-214.

Wannamethee G, Shaper AG, Macfarlane PW. Heart rate, physical activity, and mortality from cancer and other non-cardiovascular diseases. *American Journal of Epidemiology* 1993; 137(7):735-748.

Whincup PH, Papacosta O, Cook DG. Initiation of hypertension in utero [letter]. *British Medical Journal* 1993; 306(6877):584.

Whincup PH, Cook DG, Strachan DP, Papacosta O. Time trends in respiratory symptoms in childhood over a 24 year period. *Archives of Disease in Childhood* 1993; 68(6):729-734.

1992

Bruce NG, Cook DG, Shaper AG, Ratcliffe JG, Thomson AG. Casual urine concentrations of sodium and potassium and geographic blood pressure variations in Great Britain. *Journal of Human Hypertension* 1992; 6(2):157-164. Elford J, Shaper AG, Whincup P. Early life experience and cardiovascular disease--ecological studies. [Review]. *Journal of Epidemiology & Community Health* 1992; 46(1):1-8.

Morris J. Loss of employment and ill health. Thesis: PhD. 1992 University of London.

Morris JK, Cook DG, Shaper AG. Non-employment and changes in smoking, drinking, and body weight. *British Medical Journal* 1992; 304(6826):536-541.

Morris JK, Cook DG, Walker M, Shaper AG. Non-consulters and high consulters in general practice: cardio-respiratory health and risk factors. *Journal of Public Health Medicine* 1992; 14(2):131-137.

Phillips AN, Neaton JD, Cook DG, Grimm RH, Shaper AG. Leukocyte count and risk of major coronary heart disease events. *American Journal of Epidemiology* 1992; 136(1):59-70.

Phillips AN, Neaton JD, Cook DG, Grimm RH, Shaper AG. The leukocyte count and risk of lung cancer. *Cancer* 1992; 69(3):680-684.

Shaper AG, Elford J. Regional variations in coronary heart disease in Great Britain: risk factors and changes in environment. In *Coronary Heart Disease Epidemiology. From Aetiology to Public Health*. Editors: Marmot M, Elliott P. Publishers: Oxford University Press Oxford 1992;(9):129-141.

Shaper AG. Stroke [letter]. *Lancet* 1992;339 (8795):750.

Tang JL, Cook DG, Shaper AG. Giving up smoking: How rapidly does the excess risk of ischaemic heart disease disappear? *Journal of Smoking-Related Diseases* 1992; 3(3):203-215.

Wannamethee SG. Alcohol, cardiovascular disease and all cause mortality in British middle-aged men. Thesis: PhD. 1992 University of London.

Wannamethee G, Shaper AG. Physical activity and stroke in British middle aged men. *British Medical Journal* 1992; 304(6827):597-601.

Wannamethee G, Shaper AG. Alcohol and sudden cardiac death. *British Heart Journal* 1992; 68(5):443-448.

Wannamethee G, Shaper AG. Blood lipids: the relationship with alcohol intake, smoking, and body weight. *Journal of Epidemiology & Community Health* 1992; 46(3):197-202.

Whincup PH, Cook DG, Papacosta O, Walker M. Childhood blood pressure, body build, and birthweight: geographical associations with cardiovascular mortality. *Journal of Epidemiology & Community Health* 1992; 46(4):396-402.

Whincup PH, Cook DG, Papacosta O. Do maternal and intrauterine factors influence blood pressure in childhood? *Archives of Disease in Childhood* 1992; 67(12):1423-1429.

Whincup PH, Bruce NG, Cook DG, Shaper AG. The Dinamap 1846SX automated blood pressure recorder: comparison with the Hawksley random zero sphygmomanometer under field conditions. *Journal of Epidemiology & Community Health* 1992; 46(2):164-169.

1991

Bruce NG. An investigation of geographic blood pressure variations among men and women in Great Britain. Thesis: PhD. 1991 University of London. Bruce N, Elford J, Wannamethee G, Shaper AG. The contribution of environmental temperature and humidity to geographic variations in blood pressure. *Journal of Hypertension* 1991; 9(9):851-858.

Elford J, Whincup P, Shaper AG. Early life experience and adult cardiovascular disease: longitudinal and case-control studies. [Review]. *International Journal of Epidemiology* 1991; 20(4):833-844.

Phillips AN, Smith GD. How independent are "independent" effects? Relative risk estimation when correlated exposures are measured imprecisely. *Journal of Clinical Epidemiology* 1991; 44(11):1223-1231.

Phillips AN, Shaper AG. Serum calcium and blood pressure. *Journal of Human Hypertension* 1991; 5(6):479-484.

Shaper AG, Wannamethee G, Walker M. Milk, butter, and heart disease [letter]. *British Medical Journal* 1991; 302(6779):785-786.

Shaper AG, Wannamethee G, Walker M. Calf pain on walking, risk factors and cardiovascular outcome in middle-aged British men. In *Epidemiology of Peripheral Vascular Disease*. Editor: Fowkes F. G. R. Publishers: Springer Verlag, London 1991;(11) 127-135.

Shaper AG. Screening for men at high-risk of coronary heart disease. *Journal of the Society of Occupational Medicine* 1991;41(2): 65-67.

Shaper AG, Wannamethee G, Weatherall R. Physical activity and ischaemic heart disease in middle-aged British men. *British Heart Journal* 1991; 66(5):384-394. (published erratum appears in *Br Heart J* 1992;67(2):209).

Shaper AG, Elford J. Place of birth and adult cardiovascular disease: the British Regional Heart Study. *Acta Paediatrica Scandinavica - Supplement* 1991; 373:73-81.

Shaper AG, Phillips AN, Pocock SJ, Walker M, Macfarlane PW. Risk factors for stroke in middle aged British men. *British Medical Journal* 1991; 302(6785):1111-1115.

Shaper AG, Walker M. Estimating the risk of heart attack (letter). *British Medical Journal* 1991; 303(6813): 1333-1334.

Tang JL. Giving up smoking and the risk of ischaemic heart disease. Thesis: PhD. 1991 University of London.

Wannamethee G, Shaper AG. Self-assessment of health status and mortality in middle-aged British men. *International Journal of Epidemiology* 1991; 20(1):239-245.

Wannamethee G, Shaper AG. Alcohol intake and variations in blood pressure by day of examination. *Journal of Human Hypertension* 1991; 5(2):59-67.

Whincup PH. A study of blood pressure in children in nine British towns. Thesis: PhD. 1991 University of London.

1990

Bruce NG, Cook DG, Shaper AG, Thomson AG. Geographical variations in blood pressure in British men and women. *Journal of Clinical Epidemiology* 1990; 43(4):385-398.

Bruce NG, Cook DG, Shaper AG. Differences between observers in blood pressure measurement with an automatic oscillometric recorder. *Journal of Hypertension* 1990; 8(4):S11-S13.

Bruce NG, Cook DG, Shaper AG, Ratcliffe JG. Casual urine concentrations of sodium, potassium, and creatinine in population studies of blood pressure. *Journal of Human Hypertension* 1990; 4(6):597-602.

Cook DG, Morris JK, Walker M, Shaper AG. Consultation rates among middle aged men in general practice over three years. *British Medical Journal* 1990; 301(6753):647-650.

Cook DG, Shaper AG. Re: "Pulmonary function as a predictor of coronary heart disease" [letter]. *American Journal of Epidemiology* 1990; 132(3):587-588.

Cook DG, Kussick SJ, Shaper AG. The respiratory benefits of stopping smoking. *Journal of Smoking-Related Diseases* 1990; 1(1):45-58.

Elford J, Phillips A, Thomson AG, Shaper AG. Migration and geographic variations in blood pressure in Britain. *British Medical Journal* 1990; 300(6720):291-295.

Griffioen A. Alcohol and blood pressure: a cross sectional study of relationships in men and women. Thesis: MSc. 1990 University of London.

Perry IJ. Obesity, physical activity, alcohol intake and the prevalence of non-insulin dependent diabetes mellitus. Thesis: MSc. 1990 University of London.

Phillips AN, Thompson SG, Pocock SJ. Prognostic scores for detecting a high risk group: estimating the sensitivity when applied to new data. *Statistics in Medicine* 1990; 9(10):1189-1198.

Shaper AG. Alcohol and mortality: a review of prospective studies. *British Journal of Addiction* 1990; 85(7):837-847.

Walker M, Phillips A, Shaper AG. Blood cholesterol, social class and height [letter]. *Journal of Public Health Medicine* 1990; 12(2):142-143.

Wannamethee G, Shaper AG. Weight change in middle-aged British men: implications for health. *European Journal of Clinical Nutrition* 1990; 44(2):133-142.

Wannamethee G, Shaper AG. Weight change, perceived health status and mortality in middle-aged British men. *Postgraduate Medical Journal* 1990; 66(781):910-913.

Whincup PH, Cook DG, Phillips AN, Shaper AG. ABO blood group and ischaemic heart disease in British men. *British Medical Journal* 1990; 300(6741):1679-1682.