

2009

Emerging Risk Factors Collaboration, Di Angelantonio E, Sarwar N, Perry P, Kaptoge S, Kausik KR, Thompson A, Wood AM, Lewington S, Sattar N, Packard CJ, Collins R, Thompson SG, Danesh J. Major Lipids, Apolipoproteins, and Risk of Vascular Disease. *JAMA*. 2009;302(18):1993-2000.

Jefferis BJ, Whincup PH, Welsh P, Wannamethee SG, Rumley A, Lennon LT, Thomson AG, Carson C, Ebrahim S, Lowe GDO. Circulating TNF α levels in older men and women do not show independent prospective relations with MI or stroke. *Atherosclerosis*. 2009; 205(1): 302-308

Jefferis BJ, Lowe GD, Welsh P, Rumley A, Lawlor DA, Ebrahim S, Carson C, Doig M, Feyerabend C, McMeekin L, Wannamethee SG, Cook DG, Whincup PH. Secondhand smoke (SHS) exposure is associated with circulating markers of inflammation and endothelial function in adult men and women. *Atherosclerosis*. In Press, Available online 30 Jul 2009 [Epub ahead of print]

Jefferis BJ, Whincup PH, Welsh P, Wannamethee SG, Rumley A, Lennon LT, Thomson AG, Lawlor D, Carson C, Ebrahim S, Lowe GDO Prospective study of matrix metalloproteinase-9 and risk of myocardial infarction and stroke in older men and women *Atherosclerosis*, In Press, Available online 19 August 2009 [Epub ahead of print]

Jefferis BJ, Thomson AG, Lennon LT, Feyerabend C, Doig M, McMeekin L, Wannamethee SG, Cook DG, Whincup PH. Changes in environmental tobacco smoke (ETS) exposure over a 20 year period: cross-sectional and longitudinal analyses. *Addiction*. 2009 Mar;104(3):496-503.

Ramsay SE, Morris RW, Whincup PH, Papacosta O, Rumley A, Lennon L, Lowe GDO, Wannamethee SG. Socioeconomic inequalities in coronary heart disease risk in older age: contribution of established and novel coronary risk factors. *Journal of Thrombosis and Haemostasis*. 2009;7:1779-1786

Sattar N, Wannamethee G, Sarwar N, Chernova J, Lawlor DA, Kelly A, Wallace AM, Danesh J, Whincup PH. Leptin and coronary heart disease: prospective study and systematic review. *Journal of the American College of Cardiology*. 2009;53(2):167-75.

Thomas MC, Hardoon SL, Papacosta AO, Morris RW, Wannamethee SG, Sloggett A, Whincup PH. Evidence of an accelerating increase in prevalence of diagnosed Type 2 diabetes in British men, 1978-2005. *Diabetic Medicine*. 2009;26(8):766-72.

Wannamethee SG. Interventions to increase adiponectin may be associated with increased coronary heart disease in older adults. *Future Cardiol*. 2009;5(1):19-22.

Wannamethee SG, Whincup PH, Shaper AG, Rumley A, Lennon LT, Lowe GDO. Circulating inflammatory and hemostatic biomarkers are associated with risk of myocardial infarction and coronary death, but not angina pectoris, in older men. *J Thrombosis and Haemostasis*. 2009;7(10):1605-11.

Wannamethee SG, Whincup PH, Thomas MC, Sattar N. Associations between dietary fibre and inflammation, hepatic function, and risk of type 2 diabetes in older men: potential mechanisms for the benefits of fibre on diabetes risk. *Diabetes Care*. 2009;32(10):1823-5.

Prospective Studies Collaboration: Whitlock G, Lewington S, Sherliker P, Clarke R, Emberson J, Halsey J, Qizilbash N, Collins R, Peto R. Body-mass index and cause-specific mortality in 900

000 adults: collaborative analyses of 57 prospective studies. *Lancet* 2009 28;373(9669):1083-96.

2008

CRP CHD Genetics Collaboration. Collaborative pooled analysis of data on C-reactive protein gene variants and coronary disease: judging causality by Mendelian randomisation. *Eur J Epidemiol.* 2008;23(8):531-40.

Danesh J, Kaptoge S, Mann AG, Sarwar N, Wood A, Angleman S, Wensley F, Higgins JPT, Lennon L, Eiriksdottir G, Rumley A, Whincup PH, Lowe GDO, Gudnason V. Long-term interleukin-6 levels and subsequent risk of coronary heart disease: Two new prospective studies and a systematic review. *PLoS Medicine.* 5(4): e78. doi:10.1371/journal.pmed.0050078

Hardoon SL, Whincup PH, Lennon LT, Wannamethee SG, Capewell S, Morris RW. How much of the recent decline in the incidence of myocardial infarction in British men can be explained by changes in cardiovascular risk factors? Evidence from a prospective population based study. *Circulation.* 2008;117:598-604

Morris RW, Walker MK, Lennon LT, Shaper AG, Whincup PH. Hard drinking water does not protect against cardiovascular disease. New evidence from the British Regional Heart Study. *European Journal of Cardiovascular Prevention and Rehabilitation.* 2008;15(2):185-189.

Morris RW, Wannamethee G, Lennon LT, Thomas MC, Whincup PH. Do socioeconomic characteristics of neighbourhood of residence independently influence incidence of coronary heart disease and all-cause mortality in older British men? *European Journal of Cardiovascular Prevention and Rehabilitation.* 2008; 15(1):19-25.

Ramsay SE, Lowe GDO, Whincup PH, Rumley A, Morris RW, Wannamethee SG. Relationships of inflammatory and haemostatic markers with social class: results from a population-based study of older men. *Atherosclerosis* 2008; 197(2): 654-661

Ramsay SE, Morris RW, Whincup PH, Lennon LT, Wannamethee SG. Are social inequalities in mortality in Britain narrowing? Time trends from 1978 to 2005 in a population-based study of older men. *Journal of Epidemiology and Community Health.* 2008;62:75-80.

Ramsay SE, Whincup PH, Morris RW, Lennon LT; Wannamethee SG. Extent of Social Inequalities in Disability in the Elderly: Results from a Population-based Study of British Men *Annals of Epidemiology* 2008 ;18(12):896-903.

Ramsay SE, Ebrahim S; Whincup PH; Papacosta O; Morris RW; Lennon LT; Wannamethee SG. Social engagement and the risk of cardiovascular disease mortality: results of a prospective population-based study of older men. *Annals of Epidemiology.* 2008;18(6):479-483.

Ramsay SE, Whincup PH, Morris R, Lennon L, Wannamethee SG. Is socioeconomic position related to the prevalence of metabolic syndrome?: influence of social class across the life course in a population-based study of older men. *Diabetes Care.* 2008 Dec;31(12):2380-2.

Sattar N, McConnachie A, Shaper AG, Blauw GJ, Buckley BM, de Craen AJ, PhD, Ford I, Forouhi NG, Freeman DJ, Jukema JW, Lennon L, Macfarlane PW, Murphy MB, Packard CJ, Stott DJ, Westendorp RG, Whincup PH, Shepherd J, Wannamethee SG. Can metabolic syndrome usefully predict cardiovascular disease and diabetes? Outcome data from two prospective studies. *The Lancet.* 2008;371(9628): 1927-1935.

Sattar N, Wannamethee SG, Forouhi NG. Novel biochemical risk factors for type 2 diabetes: pathogenic insights or prediction possibilities? *Diabetologia*. 2008;51(6):926-40.

Sohaib SMA, Papacosta O, Morris RW, Macfarlane PW, Whincup PH. Length of the qt interval: determinants and prognostic implications in a population-based prospective study of older men *Journal of Electrocardiology*. 2008;41(6):704-710.

Wannamethee SG. 2007. Book chapter: Beer and adiposity. In VR. Preedy,ed. *Beer in Health and disease prevention*. . Elsevier Press .

Wannamethee SG. The metabolic syndrome and cardiovascular risk in the British Regional Heart Study. *Int J Obes (Lond)*. 2008;32 (2):S25-9.

Wannamethee SG. Adiponectin and cardiovascular risk prediction:can the ambiguities be resolved? *Nutr Metab Cardiovasc Dis*. 2008;18(9):581-4.

Wannamethee SG, Lowe GDO, Rumley A, Lennon L, Whincup PH. Tissue Plasminogen Activator, von Willebrand Factor, and Risk of Type 2 Diabetes in Older Men. *Diabetes Care* 2008;31:995-1000.

Wannamethee SG, Lennon LT, Shaper AG. The value of gamma-glutamyltransferase in cardiovascular risk prediction in men without diagnosed cardiovascular disease or diabetes. *Atherosclerosis* 2008; 201(1): 168-175

Welsh P, Whincup PH, Papacosta O, Wannamethee SG, Lennon L, Thomson A, Rumley A, Lowe GD. Serum matrix metalloproteinase-9 and coronary heart disease: a prospective study in middle-aged men. *QJM*. 2008;101(10):785-791.

2007

Ramsay SE, Whincup PH, Morris RW, Lennon LT, Wannamethee SG. Are childhood socio-economic circumstances related to coronary heart disease risk in older men? Findings from a population-based study. *International Journal of Epidemiology* 2007;36(3):560-6.

Ramsay SE; Whincup PH; Wannamethee SG; Papacosta O; Lennon, LT; Thomas MC; Morris RW. Missed opportunities for secondary prevention of cerebrovascular disease in elderly British men from 1999 to 2005: a population based study. *Journal of Public Health* 2007;29(3):251-257.

Ramsay SE, Lowe GDO, Whincup PH, Rumley A, Morris RW, Wannamethee SG. Relationships of inflammatory and haemostatic markers with social class: results from a population-based study of older men. *Atherosclerosis eprint*. doi:10.1016/j.atherosclerosis.2007.02.022

Shaper AG. New baseline needed for alcohol and mortality studies. *Addiction Research and Theory* 2007;15 (1):26-29.

Wannamethee SG, Shaper AG, Lennon L, Whincup PH. Decreased muscle mass and increased central adiposity are independently related to mortality in older men. *Am J Clin Nutr*. 2007;86(5):1339-46.

Wannamethee SG, Whincup P, Rumley A, Lowe GD. Inter-relationships of interleukin-6, cardiovascular risk factors and the metabolic syndrome among older men. *J Thromb Haemost* 2007;5:1637-1643.

Wannamethee SG, Whincup P, Lennon L, Sattar N. Circulating adiponectin levels and mortality in elderly men with and without cardiovascular disease and heart failure. *Arch Intern Med.* 2007;167:1510-1517.

Wannamethee SG, Tchernova J, Whincup P, Lowe GD, Rumley A, Brown K, Cherry L, Sattar N. Associations of adiponectin with metabolic and vascular risk parameters in the British Regional Heart Study reveal stronger links to insulin resistance-related than to coronary heart disease risk-related parameters. *International Journal of Obesity.* 2007; 31:1089 - 1098.

Wannamethee SG, Lowe GD, Rumley A, Cherry L, Whincup P, Sattar N. Adipokines and risk of type 2 diabetes in older men. *Diabetes Care.* 2007;30(5): 1200-1205.

Panel Discussion I: Does Alcohol Consumption Prevent Cardiovascular Disease?
Annals of Epidemiology 2007;17 (5):S37-S39.

Panel Discussion V: The Message on Moderate Drinking. *Annals of Epidemiology.* 2007;17 (5):S110-S111.

Prospective Studies Collaboration. Blood cholesterol and vascular mortality by age, sex, and blood pressure: a meta-analysis of individual data from 61 prospective studies with 55 000 vascular deaths. *Lancet* 2007;37:1829-39. (BRHS collaborator)

2006

Patel R, Lawlor DA, Whincup P, Montaner D, Papacosta O, Brindle P, Ebrahim S. The detection, treatment and control of high blood pressure in older British adults: cross-sectional findings from the British Women's Heart and Health Study and the British Regional Heart Study. *Journal of Human Hypertension.* 2006;20(10):733-41.

Ramsay SE, Whincup PH, Lawlor DA, Papacosta O, Lennon LT, Thomas MC, Ebrahim S, Morris RW. Secondary prevention of coronary heart disease in older patients - changes since the introduction of the National Service Framework: a population based study. *BMJ.* 2006;332(7534):144-5.

Ramsay SE, Whincup PH, Shaper AG, Wannamethee SG. The relations of body composition and adiposity measures to ill health and physical disability in elderly men. *American Journal of Epidemiology.* 2006;164(5):459-69.

Rumley A, Emberson JR, Wannamethee SG, Lennon L, Whincup PH, Lowe GD. Effects of older age on fibrin D-dimer, C-reactive protein, and other hemostatic and inflammatory variables in men aged 60-79 years. *J Thromb Haemost.* 2006;4(5):982-7

Sattar N, Wannamethee G, Sarwar N, Tchernova J, Cherry L, Wallace AM, Danesh J, Whincup PH. Adiponectin and coronary heart disease: a prospective study and meta-analysis. *Circulation* 2006;114(7):623-9.

Wannamethee SG, Lowe GDO, Rumley A, Bruckdorfer KR, Whincup PH. Associations of vitamin C status, fruit and vegetable intake, and markers of inflammation and haemostasis. *Am J Clin Nutr.* 2006;83(3):567-74.

Wannamethee SG, Tchernova J, Whincup P, Lowe GD, Kelly A, Rumley A, Wallace AM, Sattar N. Plasma leptin: associations with metabolic, inflammatory and haemostatic risk factors for cardiovascular disease. *Atherosclerosis.* 2006 May 17; [Epub ahead of print]

Wannamethee SG. Exercise really is good for you. *Heart*. 2006;92(9):1185-6.

Wannamethee SG, Shaper AG, Lowe GD, Lennon L, Rumley A, Whincup PH. Renal function and cardiovascular mortality in elderly men: the role of inflammatory, procoagulant and endothelial biomarkers. *European Heart Journal*. 2006 Nov 28; [Epub ahead of print]

Wannamethee SG, Shaper AG, Lennon L, Whincup PH. Height Loss in older men: associations with total mortality and incidence of cardiovascular disease. *Arch Intern Med*. 2006; 166(22):2546-52.

Whincup PH, Papacosta O, Lennon LT, Haines AH. Carboxyhaemoglobin levels and their determinants in older British men. *BMC Public Health* 2006;6(1):189.

2005

Emberson JR, Shaper AG, Wannamethee SG, Morris RW, Whincup PH. Alcohol intake in middle age and risk of cardiovascular disease and mortality: accounting for intake variation over time. *Am J Epidemiol*. 2005;161(9):856-863.

Emberson JR, Whincup PH, Lawlor DA, Montaner D, Ebrahim S. Coronary Heart Disease prevention in clinical practice - are patients with diabetes special? Evidence from the British Regional Heart Study and the British Women's Heart Health Study. *Heart*. 2005;91:451-455.

Emberson JR, Whincup PH, Morris RW, Wannamethee SG, Shaper AG. Lifestyle and cardiovascular disease in middle-aged British men: the effect of adjusting for within-person variation. *EHJ*. 2005;26:1774-1782.

Lampe FC, Morris RW, Walker M, Shaper AG, Whincup PH. Trends in rates of different forms of diagnosed coronary heart disease, 1978 to 2000: Prospective population-based study of British men. *BMJ*. 2005;330:1046-1050.

Lowe GD, Rumley A, Wannamethee SG. Hemostatic abnormalities associated with obesity and the metabolic syndrome. *J Thromb Haemost*. 2005;3(5):1076-8.

Mendis S, Abegunde D, Yusuf S, Ebrahim S, Shaper G, Ghannem H, Shengelia B. WHO study on Prevention of REcurrence of Myocardial Infarction and Stroke (WHO-PREMISE). *Bulletin of the World Health Organisation* November 2005;83(11):820-828.

Morris RW, Whincup PH, Papacosta O, Walker M, Thomson A. Inequalities in coronary revascularisation during the 1990s - evidence from the British Regional Heart Study. *Heart*. 2005;91:635-640.

Morris RW, Emberson JR. Commentary: Over-correction for regression dilution bias? Not for blood pressure vs coronary heart disease. *International Journal of Epidemiology*. 2005;34:1368-1369.

Ramsay S E, Morris R W, Papacosta O, Lennon L T, Thomas M C, Whincup P H. Secondary prevention of coronary heart disease in older British men: extent of inequalities before and after implementation of the National Service Framework. *JPH* 2005;27 (4):338-343.

Thomas MC, Walker MK, Emberson JR, Thomson AG, Lawlor DA, Ebrahim S, Whincup PH. Prevalence of undiagnosed Type 2 diabetes and impaired fasting glucose in older British men and women. *Diabetic Medicine*. 2005;22:789-793.

Wannamethee SG, Ebrahim S, Papacosta O, Shaper AG. From a postal questionnaire of older men, healthy lifestyle factors reduced the onset of and may increased recovery from mobility limitation. *Journal of Clinical Epidemiology*. 2005;58:831-840.

Wannamethee SG, Shaper AG, Morris R, Whincup PH. Measures of adiposity in the identification of metabolic abnormalities in elderly men. *American Journal of Clinical Nutrition*. 2005; 81: 1313-1321.

Wannamethee SG, Lowe GDO, Shaper AG, Rumley A, Lennon L, Whincup PH. The metabolic syndrome and insulin resistance and their relationship to haemostatic and inflammatory markers in older non-diabetic men. *Atherosclerosis*.2005;181:101-108.

Wannamethee SG, Shaper AG, Lennon L. Reasons for intentional weight loss, unintentional weight loss and mortality in older men. *Archives of Internal Medicine*.2005;165(9): 1035-1040.

Wannamethee SG, Shaper AG, Whincup PH, Walker M. Overweight and obesity and weight change in middle-aged men: impact on cardiovascular disease and diabetes. *Journal of Epidemiology and Community Health*. 2005;59(2):134-9.

Wannamethee SG, Lowe GDO, Shaper AG, Rumley A, Lennon L, Whincup PH. Associations between cigarette smoking, pipe/cigar smoking, and smoking cessation, and haemostatic and inflammatory markers for cardiovascular disease. *EHJ*. 2005; 26:1765-1773.

Wannamethee SG, Shaper AG, Whincup PH. Alcohol and adiposity: Effects of quantity and type of drink and time relation with meals. *International Journal of Obesity*. 2005 2005; 29:1436-1444.

Wannamethee SG, Shaper AG, Whincup PH. Body fat distribution, body composition and respiratory function in elderly men. *American Journal of Clinical Nutrition*. 2005;82(5):996-1003.

Wannamethee SG. Serum uric acid and risk of coronary heart disease. *Current Pharmaceutical Design* 2005; 11 (32):4125-4132.

Wannamethee SG. Commentary: Alcohol and mortality: diminishing returns for benefits of alcohol. *International Journal of Epidemiology*. 2005 Feb;34(1):205-6

Wannamethee SG, Shaper AG, Whincup PH, Lennon L. Hepatic enzymes, the metabolic syndrome and the risk of type 2 diabetes in older men. *Diabetes Care* 2005;28: 2913-2918

Wannamethee SG, Shaper AG, Lennon L, Morris RW. Metabolic Syndrome vs Framingham Risk Score for Prediction of Coronary Heart Disease, Stroke and Type 2 Diabetes Mellitus. *Archives of Internal Medicine*. 2005;165:2651-2658

Whincup PH, Emberson J, Morris R, Shaper A.G. Risk factors for coronary heart disease (letter). *Lancet*.2005;365:117.

2004

Ebrahim S, Papacosta O, Wannamethee G, Adamson J. Social inequalities and disability in older men: prospective findings from the British Regional Heart Study. *Social Science and Medicine*. 2004;59:2109-2120.

Emberson JR, Whincup PH, Morris RW, Walker M, Ebrahim S. Evaluating the impact of population and high risk strategies for the primary prevention of cardiovascular disease. *Eur.Heart J.* 2004;25(6):484-491.

Emberson JR, Whincup PH, Morris RW, Walker M, Lowe GDO, Rumley A. Extent of regression dilution for established and novel coronary risk factors: results from the British Regional Heart Study. *Eur J Cardio Prev Rehab* 2004; 11: 125-134.

Emberson JR, Whincup PH, Morris RW, Walker M. Social class differences in coronary heart disease in middle-aged British men implications for prevention. *Int J Epidemiol* 2004; 33: 289-296.

Lawlor DA, Whincup PH, Sterne J, Papacosta O, Wannamethee G, Dhanjil S, Griffin M, Nicolaides AN, Davey Smith G. Sex differences in body fat distribution and carotid intima media thickness: cross sectional survey using data from the British Regional Heart Study. *Journal of Epidemiology & Community Health.* 2004;58:700-704.

Lawlor DA, Whincup PH, Emberson JR, Rees K, Walker M, Ebrahim S. The challenge of secondary prevention for coronary heart disease in older patients: findings from the British Women's Heart and Health Study and the British Regional Heart Study. *Family Practice.* 2004;21:582-586.

Lowe GDO, Danesh J, Lewington S, Walker M, Lennon L, Thomson A, Rumley A, Whincup PH. Tissue plasminogen activator antigen and coronary heart disease: prospective study and meta-analysis. *Eur. Heart J.* 2004;25:252-259.

Shaper AG, Wannamethee SG, Whincup PH. Serum albumin and risk of stroke, CHD and mortality: the role of cigarette smoking. *J Clinical Epidemiology.* 2004;57(2):195-202.

Walker M, Whincup PH, Shaper AG. Cohort Profile: The British Regional Heart Study 1975-2004. *IJE.* 2004;33:1185-1192.

Wannamethee SG and Shaper AG. Alcohol, Overweight and Obesity. Published in: *Nutrition and Alcohol. Linking Nutrient Interactions and Dietary Intake.* Edited by Ronald R Ross and Victor R Preedy. CRC Press, Florida. 2004 pp365-76. ISBN 0-8493-1680-4.

Wannamethee SG, Lawlor DA, Whincup PH, Walker M, Ebrahim S, Davey-Smith G. Birthweight of offspring and paternal insulin resistance and paternal diabetes in late adult hood: cross sectional survey. *Diabetologia* 2004; 47:12-18.

Wannamethee SG, Shaper AG, Whincup PH, Walker M. Overweight obesity and burden of disease and disability in elderly men. *International Journal of Obesity.* 2004;28:1374-1382.

Wannamethee SG, Shaper AG, Lennon LT. Cardiovascular disease incidence and mortality in older men with diabetes and in men with coronary heart disease. *Heart.* 2004;90:1398-1403.

Wannamethee SG, Lowe GDO, Rumley A, Lennon L, Whincup PH. Insulin resistance, haemostatic and inflammatory markers and coronary heart disease risk factors in type 2 diabetes with and without CHD. *Diabetologia.* 2004;47:1557-1565.

Whincup PH, Gilg JA, Emberson JR, Jarvis MJ, Feyerabend C, Bryant A, Walker M, Cook DG. Passive smoking and risk of coronary heart disease and stroke: prospective study using cotinine measurement. *BMJ.* 2004;329:200-205.

2003

Brindle P, Emberson JR, Lampe FC, Walker M, Whincup PH, Fahey T, Ebrahim SB. Coronary risk-assessment: Framingham-based methods over-estimate risk in British middle-aged men. *BMJ* 2003; 327:1267-1272.

Conroy RM, Pyorala K, Fitzgerald AP, Sans S, Menotti A, De Backer G et al. Estimation of ten-year risk of fatal cardiovascular disease in Europe: the SCORE project. *European Heart Journal* 2003; 24(11):987-1003.

Danesh J, Whincup P, Walker M. Chlamydia pneumoniae IgA titres and coronary heart disease: prospective study and meta-analysis (letter). *European Heart Journal* 2003; 24(9):881.

Emberson JR, Whincup PH, Morris RW, Walker M. Re-assessing the contribution of serum total cholesterol, blood pressure and cigarette smoking to the aetiology of coronary heart disease: impact of regression dilution bias. *European Heart Journal* 2003; 24(19):1719-1726.

Lawlor DA, Emberson JR, Ebrahim SE, Whincup PH, Wannamethee SG, Walker M, Davey-Smith G. Is the association between parity and coronary heart disease due to biological effects of pregnancy or adverse lifestyle risk factors associated with childrearing? Findings from the British Women's Heart and Health Study and the British Regional Heart Study. *Circulation* 2003;107:1254-58.

Lawlor DA, Davey Smith G, Whincup P, Wannamethee G, Papacosta O, Dhanjil S, Griffin M, Nicolaides AN, Ebrahim S. Association between offspring birth weight and atherosclerosis in middle aged men and women: British Regional Heart Study. *J Epidemiol Community Health*. 2003 Jun;57(6):462-3.

Morris RW, Whincup PH, Emberson JR, Lampe FC, Walker M, Shaper AG. North-South Gradients in Britain for Stroke and CHD. Are They Explained by the Same Factors? *Stroke* 2003;34:2604-2609.

Shaper A.G., Wannamethee S.G., Walker M. Pipe and cigar smoking and major cardiovascular events, cancer incidence and all-cause mortality in middle-aged British men. *International Journal of Epidemiology* 2003;32:802-808.

Wannamethee SG, Shaper AG. Alcohol, bodyweight and weight gain in middle-aged men. *Am. J Clin Nutr* 2003;77:1312-1

Wannamethee SG, Lowe GDO, Shaper AG, Whincup PH, Rumley A, Walker M, Lennon L. The effects of different alcoholic drinks on lipids, insulin and haemostatic and inflammatory markers in older men. *Thrombosis and Haemostasis* 2003;90:1080-7.

2002

Danesh J, Whincup P, Lewington S, Walker M, Lennon L, Thomson A et al. Chlamydia pneumoniae IgA titres and coronary heart disease; prospective study and meta-analysis. *Eur Heart J* 2002; 23(5):371-375.

Emberson JR, Whincup PH, Walker M, Thomas M, Alberti KG. Biochemical measures in a population-based study: effect of fasting duration and time of day. *Annals of Clinical Biochemistry* 2002;39(5):493-501.

Lennon L.T. Can the world wide web be used to improve health knowledge management in the British Regional Heart Study? Thesis: MSc. 2002 University of London.

Thomas MC, Walker M, Lennon LT, Thomson AG, Lampe FC, Shaper AG. Non-attendance at re-examination 20 years after screening in the British Regional Heart Study. *Journal of Public Health Medicine* 2002;24:285-291.

Wannamethee SG, Shaper AG. Physical activity and risk of coronary heart disease (review). *Seminars in Vascular Medicine* 2002;2(3): 257-265.

Wannamethee SG, Shaper AG. Taking up regular drinking in middle age: effect on major coronary heart disease events and mortality. *Heart* 2002;87(1):32-36.

Wannamethee SG, Shaper AG. Wine and lifestyle: role in CVD and premature death. In *Alcohol and Heart Disease*. Edited by Watson RR, Myers AK. Published by Taylor & Francis London. 2002 Chapter 3 p21-27.

Wannamethee SG, Lowe GD, Whincup PH, Rumley A, Walker M, Lennon L. Physical activity and hemostatic and inflammatory variables in elderly men. *Circulation* 2002;105(15):1785-1790.

Wannamethee SG, Shaper AG, Perry IJ, Alberti K-GMM. Alcohol consumption and the incidence of type II diabetes. *J Epidemiol Community Health* 2002;56(7):542-548.

Wannamethee SG, Shaper AG, Whincup PH, Walker M. Migration within Great Britain and cardiovascular disease: early life and adult environmental factors. *International Journal of Epidemiology* 2002;31:1054-1060.

Wannamethee SG, Shaper AG, Walker M. Weight Change, Weight Fluctuation, and Mortality. *Archives of Internal Medicine*. 2002;162:2575-2580.

Whincup PH, Danesh J, Walker M, Lennon L, Thomson A, Appleby P et al. von Willebrand factor and coronary heart disease. Prospective study and meta-analysis. *Eur.Heart J.* 2002;23:1764-1770.

Whincup PH, Emberson JR, Lennon L, Walker M, Papacosta O, Thomson A. Low prevalence of lipid lowering drug use in older men with established coronary heart disease. *Heart* 2002; 88(1):25-29.

Homocysteine Studies Collaboration. (Whincup PH). Homocysteine and risk of ischaemic heart disease and stroke: 6000 events in 30 observational studies. *JAMA* 2002;288:2015-22 .

Prospective Studies Collaboration (BRHS: PH Whincup et al). Age-specific relevance of usual blood pressure to vascular mortality: a meta-analysis of individual data for one million adults in 61 prospective studies. *Lancet* 2002;360:1903-13.

2001

Danesh J, Whincup P, Walker M, Lennon L, Thomson A, Appleby P et al. Fibrin D-dimer and coronary heart disease: prospective study and meta-analysis. *Circulation* 2001; 103(19):2323-2327. Dekou V, Whincup P, Papacosta O, Ebrahim S, Lennon L, Ueland PM et al. The effect of the C677T and A1298C polymorphisms in the methylenetetrahydrofolate reductase gene on homocysteine levels in elderly men and women from the British regional heart study. *Atherosclerosis* 2001; 154(3):659-666.

Ebrahim S, Shlomo YB, Smith GD, Whincup P, Emberson J. Dementia and statins (letter). *Lancet* 2001; 357(9259):822.

Lampe FC, Whincup PH, Shaper AG, Wannamethee SG, Walker M, Ebrahim S. Variability of angina symptoms and the risk of major ischemic heart disease events. *American Journal of Epidemiology* 2001; 153(12):1173-1182.

Lampe FC, Walker M, Shaper AG, Brindle PM, Whincup PH, Ebrahim S. End points for predicting coronary risk must be clarified (letter). *British Medical Journal* 2001; 323(7309):396-397.

Lampe FC, Morris RW, Whincup PH, Walker M, Ebrahim S, Shaper AG. Is the prevalence of coronary heart disease falling in British men? *Heart* 2001; 86(5):449-505.

Malik I, Danesh J, Whincup P, Bhatia V, Papacosta O, Walker M et al. Soluble adhesion molecules and prediction of coronary heart disease: a prospective study and meta-analysis. *Lancet* 2001; 358(9286):971-976.

Morris RW, Whincup PH, Lampe FC, Walker M, Wannamethee SG, Shaper AG. Geographic variation in incidence of coronary heart disease in Britain: the contribution of established risk factors. *Heart* 2001; 86(3):277-283.

Vass A, Leng G, Papacosta O, Walker M, Lennon L, Whincup PH. Secondary prevention may help intermittent claudication (letter). *British Medical Journal* 2001; 322(7287):673.

Walker M, Thomson A, Whincup PH. Screening for type 2 diabetes. Screening would have important resource implications for primary care (letter). *British Medical Journal* 2001; 323(7310):454-455.

Wannamethee SG, Shaper AG. Physical activity in the prevention of cardiovascular disease: an epidemiological perspective. [Review]. *Sports Medicine* 2001; 31(2):101-114.

Wannamethee SG, Shaper AG, Perry IJ. Smoking as a modifiable risk factor for type 2 diabetes in middle-aged men. *Diabetes Care* 2001; 24(9):1590-1595.

Wannamethee SG, Shaper AG, Walker M. Weight change, body weight and mortality: the impact of smoking and ill health. *International Journal of Epidemiology* 2001; 30(4):777-786.

Wannamethee SG. Serum uric acid is not an independent risk factor for coronary heart disease. [Review]. *Current Hypertension Rep* 2001; 3(3):190-196.

Wannamethee SG, Shaper AG, Walker M. Physical activity and risk of cancer in middle-aged men. *British Journal of Cancer* 2001; 85(9):1311-1316.

2000

Danesh J, Whincup P, Walker M, Lennon L, Thomson A, Appleby P et al. Chlamydia pneumoniae IgG titres and coronary heart disease: prospective study and meta-analysis. *British Medical Journal* 2000; 321(7255):208-213. Danesh J, Whincup P, Walker M, Lennon L, Thomson A, Appleby P et al. Low grade inflammation and coronary heart disease: prospective study and updated meta-analyses. *British Medical Journal* 2000; 321(7255):199-204.

Danesh J, Whincup P, Walker M, Lennon L, Thomson A, Appleby P et al. High prevalence of potentially virulent strains of *Helicobacter pylori* in the general male British population. *Gut* 2000; 47(1):23-25.

Ebrahim S, Wannamethee SG, Whincup P, Walker M, Shaper AG. Locomotor disability in a cohort of British men: the impact of lifestyle and disease. *International Journal of Epidemiology* 2000; 29(3):478-486.

Lampe FC, Whincup PH, Wannamethee SG, Shaper AG, Walker M, Ebrahim S. The natural history of prevalent ischaemic heart disease in middle-aged men. *European Heart Journal* 2000; 21(13):1052-1062.

Leng GC, Papacosta O, Whincup P, Wannamethee G, Walker M, Ebrahim S et al. Femoral atherosclerosis in an older British population: prevalence and risk factors. *Atherosclerosis* 2000; 152(1):167-174.

Shaper AG, Wannamethee SG. Epidemiological confounders in the relationship between alcohol and cardiovascular disease. In *Moderate alcohol consumption and cardiovascular disease*. Editors: Paoletti R, Klatsky AL, Poli A, Zakhari S. Publishers: Kluwer Academic Publishers, Dordrecht. 2000 105-112.

Shaper AG, Wannamethee SG. Alcohol intake and mortality in middle aged men with diagnosed coronary heart disease. *Heart* 2000; 83(4):394-399.

Walker M, Shaper AG, Lennon L, Whincup PH. Twenty year follow-up of a cohort based in general practice in 24 British towns. *Journal of Public Health Medicine* 2000; 22(4):479-485.

Wannamethee SG, Shaper AG, Alberti KGMM. Physical activity, metabolic factors, and the incidence of coronary heart disease and type 2 diabetes. *Archives of Internal Medicine* 2000; 160(14):2108-2116.

Wannamethee SG, Shaper AG, Walker M. Physical activity and mortality in older men with diagnosed coronary heart disease. *Circulation* 2000; 102(12):1358-1363.

Wannamethee SG, Shaper AG. HDL-cholesterol, total cholesterol and the risk of stroke in middle-aged British men. *Stroke* 2000; 31(8):1882-1888.

Wannamethee SG, Shaper AG, Whincup PH, Walker M. Characteristics of older men who lose weight intentionally or unintentionally. *American Journal of Epidemiology* 2000; 151(7):667-675.

Whincup P, Danesh J, Walker M, Lennon L, Thomson A, Appleby P et al. Prospective study of potentially virulent strains of *Helicobacter pylori* and coronary heart disease in middle-aged men. *Circulation* 2000; 101(14):1647-1652.